


HIACE

COMMUTER AND VAN



TOYOTA

ALWAYS BETTER.



Toyota HIACE Commuter Take Command of The Road



Wide & Super Long body



Standard & Long body

Enjoy A World of Comfort and Style in Every Ride

Every time you enter the Toyota HiAce, you're entering a whole new world where style and comfort rule. Its cabin environment is loaded with amenities to make every trip more comfortable and enjoyable. And with its worldwide reputation for proven performance to back it, the HiAce is designed from the ground up to match your active lifestyle. So, take command now and experience maximum comfort, style and performance on the road.



16-seater Commuter (Wide & Super Long body)



15-seater Commuter (Standard & Long body)



9-seater Commuter (Standard & Long body)





Cup Holders
Strategically positioned for convenience.

Driver Slide Pocket
A storage pocket for personal items and other cabin amenities abound.

Every Road is Yours to Command

The instrument panel features a panel-mounted gearshift for improved pass-through access from either side of the cabin. Essential indicators and switches are integrated into the larger meter cluster for high visibility and fingertip control.



Tilt Steering Wheel
Adjustable to suit driver height and physique

Climate Controls
Dial-type climate controls are easy to operate, with buttons for the optional rear defogger and air conditioning positioned in the centre

Toyota HIACE Van A Thoroughbred Workhorse




Standard & Long body



Efficiency at Its Best

A redesigned cargo area and the largest cargo capacity in its class make the HIACE Van one tough customer. A flush-to-floor rear bumper and wide sliding side door facilitate manual loading and unloading. That's efficiency and cargo-carrying capacity that's impossible to beat.





Performance

Tougher and More Powerful Than Ever


Offering a superb balance of performance and economy, the 2KD-FTV engine has plenty of power to carry you wherever you want to go - even with a full load.

2KD-FTV Engine

A 2.5-litre direct-injection turbo diesel that offers power to spare, plus fuel economy. An environmentally-friendly design assures compliance with stringent emission standards.

ABS Protection

ABS (Anti-lock Brake System) assists in maintaining vehicle stability and steering response by helping to prevent wheel lock-up during emergency braking.



Minimum Turning Radius

High maneuverability is assured by a minimum turning radius of just 5.0m.


Intelligent Design for Easy Driving

Assures improved control and driving ease at all times. Indicators and switches are positioned for maximum visibility and intuitive operation, and the panel-mounted shift lever allows pass-through access from either side of the cabin.



Durability & Safety

A Safe Ride for Everyone On Board





Corrosion Resistance

Corrosion-resistant materials are used in key areas throughout the vehicle to provide long-lasting protection against rust.




High Mount Stop Lamp

A high-mount stop lamp helps alert drivers to the rear when slowing or stopping.




Crumple Zone Construction

An ample crumple zone, upper and lower members at the front of the frame and side impact beams in the front doors contribute to class-leading safety.



Body Rigidity

Computer analysis of the body and chassis assure durability with minimal transmission of vibration to the cabin. The result is excellent running stability and comfort for the life of the vehicle.



Suspension

A front double-wishbone torsion bar spring suspension and a rear leaf spring suspension provide optimized straight line stability, ride comfort and versatile load-carrying capacity.

SPECIFICATIONS			Commuter Wide body (Super-long wheelbase, high roof)	Commuter Standard body (Long wheelbase, Standard roof)	Van Standard body (Long wheelbase, Standard roof)
Dimensions & Weight					
Overall	Length	mm	5380		4695
	Width	mm	1880		1695
	Height	mm	2285		1980
Wheelbase		mm	3110		2570
Tread	Front	mm	1655		1470
	Rear	mm	1650		1465
Overhang	Front	mm	1190		1050
	Rear	mm	1080		1075
Interior	Length	mm	4205	4210	-
	Width	mm	1730	1545	-
	Height	mm	1565	1335	-
Cargo Space	Floor Length	mm	-	-	2930
	Width	mm	-	-	1545
	Height	mm	-	-	1335
Curb weight (Min.-Max.)		kg	1975-2095	1770-1900	1695-1830
Gross vehicle weight		kg	3250	2800-3050	2800
Fuel tank capacity		litres		70	
Chassis					
Transmission type				5-speed MT	
Brakes	Front			Discs	
	Rear			Drums	
Suspension	Front			Double wishbone	
	Rear			Leaf springs	
Steering type				Rack & pinion-Power steering	
Min. turning radius	Tyre	m	6.2		5.0
Tyres				195R15C	
Engine					
Engine type				2.5-litre Diesel (2KD-FTV)	
Number of cylinders & Arrangement				4 cylinders, in-line	
Valve mechanism				16-valve DOHC	
Bore x Stroke		mm		92.0 x 93.8	
Displacement		c.c.		2494	
Compression ratio		to 1		18.5	
Fuel system				Common-rail type	
Max. output (EEC)		kW/rpm		75/3600	
Max. torque (EEC)		Nm/rpm		260/1600-2400	

- Addition of extra features may change figures in this chart.
- Vehicle appearance, such as body colour, interior or finishing, plus other equipments featured in this catalogue may slightly differ from available models and equipments.
- Toyota Motor Corporation and NBT Sdn Bhd reserve the right to alter any detail of specifications and/or equipments without notice. Details of specifications and/or equipments are also subject to changes to suit local conditions and requirements.
- Sale includes a comprehensive three-year or 100,000km warranty, whichever comes first. Terms and Conditions apply.

3  **TOYOTA**
YEAR WARRANTY



NBT عین. بی. تی. (برونی) سندیرین برحد
(BRUNEI) SDN BHD

Head Office : NBT (Brunei) Sdn Bhd. Km 4, Jalan Gadong, Bandar Seri Begawan BE4119. Tel: 2433777 Fax: 2453018.
K.B. Branch : Lot 5754 & 5755, Kompleks Perindustrian, Jalan Setia Diraja, Kuala Belait KA1931. Tel: 3332605, 3332583 Fax: 3341840.
Bunut Branch : Km 8, Simpang 664, Jalan Tutong BF1320. Tel: 2652459, 2652460, 2652461 Fax: 2652463.
Customer Relations Department : Tel: 2427488 Email: customercare@nbt-brunei.com

www.nbt-brunei.com

