

The new smart fortwo

# **cabrio**

» Let your city in.



»» Push the button  
and get ready.

**Who says you can't conjure up summer vibes at the push of a button?** Open up the soft top of your new smart fortwo cabrio and discover the city in a whole new light. Suddenly, there's something new and surprising to discover around every corner. And instead of just driving past it all, you're right up close to everything that's going on. How's that for the brightest summer prospects? Push the button and let's get moving.

» Open FOR the  
best summer ever.



**Who says you can't conjure up summer vibes at the push of a button?** Open up the soft top of your new smart fortwo cabrio and discover the city in a whole new light. Suddenly, there's something new and surprising to discover around every corner. And instead of just driving past it all, you're right up close to everything that's going on. How's that for the brightest summer prospects? Push the button and let's get moving.

» Open FOR  
fresher ideas.



**Built for the city and made for the summer:** The smart fortwo cabrio is packed full of ideas and innovations that make it a unique vehicle for getting around the city. Alongside the familiar strengths of the smart fortwo, such as its unbeatable agility and manoeuvrability, the spacious interior combined with compact exterior dimensions or the intelligent safety concept, the new cabrio also boasts a thrillingly dynamic design. Unmistakably smart, distinct and striking. When the roof bars have been removed and stowed away in the tailgate, the tridion safety cell points the way: forwards, into the sun.

# »» Open FOR a room with a view.



**1.** When the sun makes a sudden appearance, you can open up the soft top in a matter of seconds.



**2.** Or you can retract it all the way, to catch every last ray of sunshine.



**3.** The swift and simple way to a pure cabrio feeling: remove the roof bars and stow them away in the tailgate.

**The sky's the limit for summertime fun with the smart fortwo cabrio.** Available in three colours, the tritop fabric soft top can be opened swiftly to any desired position – with the 3-button key before setting off or at any speed while on the move. When closed, it provides effective protection in all weathers. And on cool days the smart fortwo cabrio is not just a pretty sight – the heated glass rear window means that in this cabrio you not only look sharp, but also enjoy the sharpest of visibility.



» Open FOR  
fine design.



**With a cabrio, the interior contributes to the car's external appearance** — so a particularly expressive interior fits the bill perfectly. It's not just about sharpening your profile with the optional ambient lighting. The interior looks good and feels good. The dashboard features extensive fabric covering, for example, and is a delight to touch and to behold. The interior design and materials set the standards in this class — take a seat and feel it for yourself.

# >> Technical data.

|                                                                               | Engines in conjunction<br>with manual transmission<br>52 kW (71 hp)<br>with automatic start/stop system | 66 kW (90 hp) turbo<br>with automatic start/stop system                      |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Engine/type                                                                   | 3-cylinder in-line engine                                                                               | 3-cylinder turbo in-line engine                                              |
| Engine capacity in cc                                                         | 999                                                                                                     | 898                                                                          |
| Max output in kW (hp) at rpm <sup>1</sup>                                     | 52 (71)/6000                                                                                            | 66 (90)/5500                                                                 |
| Max. torque in Nm at rpm <sup>1</sup>                                         | 91/2850                                                                                                 | 135/2500                                                                     |
| Bore x stroke in mm                                                           | 72.2 x 81.3                                                                                             | 72.2 x 73.1                                                                  |
| Compression ratio                                                             | 10.5 : 1                                                                                                | 9.5 : 1                                                                      |
| Fuel delivery                                                                 | Petrol injection                                                                                        | Petrol injection                                                             |
| Max. speed in km/h                                                            | 151 <sup>2</sup>                                                                                        | 155 <sup>2</sup>                                                             |
| Acceleration 0–100 km/h in s                                                  | 14.9                                                                                                    | 10.8                                                                         |
| Engine position/drive                                                         | Rear-wheel drive                                                                                        | Rear-wheel drive                                                             |
| Transmission                                                                  | Manual 5-speed transmission                                                                             | Manual 5-speed transmission                                                  |
| Fuel consumption in l/100 km:                                                 |                                                                                                         |                                                                              |
| urban cycle <sup>3</sup>                                                      | 5.1                                                                                                     | 5.0                                                                          |
| extra-urban cycle <sup>3</sup>                                                | 3.8                                                                                                     | 3.9                                                                          |
| combined cycle <sup>3</sup>                                                   | 4.3                                                                                                     | 4.3                                                                          |
| Fuel type                                                                     | Premium unleaded                                                                                        | Premium unleaded                                                             |
| Exhaust gas purification/exhaust gas standard                                 | 3-way catalytic converter/Euro 6                                                                        | 3-way catalytic converter/Euro 6                                             |
| CO <sub>2</sub> emissions (combined) in g/km <sup>3</sup>                     | 99                                                                                                      | 99                                                                           |
| Efficiency class<br>(ECE production vehicle; applies to Germany) <sup>4</sup> | C                                                                                                       | B                                                                            |
| Brakes/dynamic handling control system                                        | Solid disc brakes at front,<br>drum brakes at rear/esp®, abs                                            | Internally ventilated disc brakes at front,<br>drum brakes at rear/esp®, abs |
| Tyres//wheels (front; rear)<br>standard, passion, prime                       | 5.0 J x 15//165/65 R 15;<br>5.5 J x 15//185/60 R 15                                                     | 5.0 J x 15//165/65 R 15;<br>5.5 J x 15//185/60 R 15                          |
| Tyres//wheels (front; rear)<br>proxy                                          | 6.0 J x 16//185/50 R 16;<br>6.5 J x 16//205/45 R 16                                                     | 6.0 J x 16//185/50 R 16;<br>6.5 J x 16//205/45 R 16                          |
| Vehicle length/width/height in mm                                             | 2695/1663/1552                                                                                          | 2695/1663/1552                                                               |
| Track width (front/rear) in mm <sup>5</sup>                                   | 1469/1430                                                                                               | 1469/1430                                                                    |
| Wheelbase in mm                                                               | 1873                                                                                                    | 1873                                                                         |
| Turning circle in m <sup>6</sup>                                              | 6.95                                                                                                    | 6.95                                                                         |
| Kerb weight/payload in kg <sup>7</sup>                                        | 940/235                                                                                                 | 960/235                                                                      |
| Permissible total weight in kg                                                | 1175                                                                                                    | 1195                                                                         |
| Luggage compartment capacity in l <sup>8</sup>                                | 260–340                                                                                                 | 260–340                                                                      |
| Tank capacity/of which reserve in l                                           | 28/5.0                                                                                                  | 28/5.0                                                                       |
| Service interval <sup>9</sup>                                                 | 20,000 km/1 year                                                                                        | 20,000 km/1 year                                                             |
| Warranty in years                                                             | 2                                                                                                       | 2                                                                            |

<sup>1</sup>Information on rated output and rated torque in accordance with directive 80/1269/EEC in the currently applicable version. <sup>2</sup>Electronically limited. <sup>3</sup>The figures stated were determined in accordance with the stipulated measuring method as set out in directive 80/1268/EEC in its currently valid version. Note according to directive 1999/94/EC in the currently applicable version: the figures do not refer to an individual vehicle and do not constitute part of the offer, but serve solely as a comparison between the different vehicle types. <sup>4</sup>Determined based on the measured CO<sub>2</sub> emissions considering the mass of the vehicle. <sup>5</sup>With basic tyres 165/65 R 15 (front) and 185/60 R 16 (rear). <sup>6</sup>Measured from kerb to kerb. <sup>7</sup>Figures in accordance with directive 92/21/EC in the version 95/48/EC (mass in running order, fuel tank 90% full, with driver, 68 kg and luggage, 7 kg for vehicles with standard equipment. Optional equipment and accessories generally increase this figure, which means that the payload is reduced accordingly). <sup>8</sup>Up to roof; in accordance with DIN 70020–1. <sup>9</sup>Whichever occurs first. Indicated by maintenance interval indicator. An oil service plus is to be carried out every 20,000 km or once annually.

| Engines in conjunction<br>with automatic transmission<br>52 kW (71 hp) twinamic<br>with automatic start/stop system | 66 kW (90 hp) twinamic<br>with automatic start/stop system                   |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| 3-cylinder in-line engine                                                                                           | 3-cylinder turbo in-line engine                                              |
| 999                                                                                                                 | 898                                                                          |
| 52 (71)/6000                                                                                                        | 66 (90)/5500                                                                 |
| 91/2850                                                                                                             | 135/2500                                                                     |
| 72.2 x 81.3                                                                                                         | 72.2 x 73.1                                                                  |
| 10.5 : 1                                                                                                            | 9.5 : 1                                                                      |
| Petrol injection                                                                                                    | Petrol injection                                                             |
| 151 <sup>2</sup>                                                                                                    | 155 <sup>2</sup>                                                             |
| 15.5                                                                                                                | 11.7                                                                         |
| Rear-wheel drive                                                                                                    | Rear-wheel drive                                                             |
| 6-speed dual clutch transmission                                                                                    | 6-speed dual clutch transmission                                             |
|                                                                                                                     |                                                                              |
| 5.1                                                                                                                 | 4.9                                                                          |
| 3.8                                                                                                                 | 3.8                                                                          |
| 4.3                                                                                                                 | 4.2                                                                          |
| Premium unleaded                                                                                                    | Premium unleaded                                                             |
| 3-way catalytic converter/Euro 6                                                                                    | 3-way catalytic converter/Euro 6                                             |
| 99                                                                                                                  | 97                                                                           |
|                                                                                                                     |                                                                              |
| B                                                                                                                   | B                                                                            |
| Solid disc brakes at front,<br>drum brakes at rear/esp®, abs                                                        | Internally ventilated disc brakes at front,<br>drum brakes at rear/esp®, abs |
| 5.0 J x 15//165/65 R 15;<br>5.5 J x 15//185/60 R 15                                                                 | 5.0 J x 15//165/65 R 15;<br>5.5 J x 15//185/60 R 15                          |
| 6.0 J x 16//185/50 R 16;<br>6.5 J x 16//205/45 R 16                                                                 | 6.0 J x 16//185/50 R 16;<br>6.5 J x 16//205/45 R 16                          |
| 2695/1663/1552                                                                                                      | 2695/1663/1552                                                               |
| 1469/1430                                                                                                           | 1469/1430                                                                    |
| 1873                                                                                                                | 1873                                                                         |
| 6.95                                                                                                                | 6.95                                                                         |
| 975/230                                                                                                             | 995/230                                                                      |
| 1205                                                                                                                | 1225                                                                         |
| 260–340                                                                                                             | 260–340                                                                      |
| 28/5.0                                                                                                              | 28/5.0                                                                       |
| 20,000 km/1 year                                                                                                    | 20,000 km/1 year                                                             |
| 2                                                                                                                   | 2                                                                            |



**smart infocenter**

(Call free from a landline. Charges for calls from mobile networks may differ from this.)

**00800 2 77 77 77 7**

**>> Keep up to date  
and register at:**  
[www.smart.com/fortwocabrio](http://www.smart.com/fortwocabrio)

We are pleased to take back your smart for environmentally friendly disposal in accordance with the European Union\* (EU) Directive on End-of-Life Vehicles – but that day lies a long way off (\*does not apply to Switzerland). To make it as easy as possible for you to return the vehicle, a network of companies exists which will take back your old car and dismantle and recycle it. You can return your vehicle to one of these companies free of charge. In this way you make a valuable contribution to closing the recycling loop and to saving resources. Further information on recycling end-of-life vehicles and the conditions of return is available at [www.smart.com](http://www.smart.com).

Regarding the information in this publication: changes to the product may have been made after going to press on 30 July 2015. The manufacturer reserves the right to effect structural or design modifications, colour changes and changes to the scope of delivery during the delivery period, insofar as such changes or modifications are reasonable for the buyer in due consideration of the seller's interests. Should the seller or the manufacturer employ codes or numbers to describe the order or object ordered, this alone shall not constitute a valid basis for the derivation of any rights. The photographs may include accessories or options that are not part of the standard scope of delivery. Any colour deviations result from the printing process. This publication may also contain variants and services that are not available in individual countries. Information on statutory, legal and fiscal provisions and their consequences apply only to the Federal Republic of Germany at the time that this publication goes to press. Please refer any questions on the provisions that currently apply in other countries and their effects to your smart sales representative.

**[www.smart.com](http://www.smart.com)**

**smart — a Daimler Brand**

Daimler AG, smart/MM, H336, Mercedesstr. 137, 70327 Stuttgart · 7129 · MF\_A453· 02-01 / 0815