



***CEDIA* SPORTS**

Driving is now a pleasure





■ Sleek front grill



■ Sporty rear spoiler



■ Fish-eye halogen headlamps



■ Anti-skid alloy pedals



■ MOMO steering wheel



■ Oz alloy wheels




Powerful performance

Engine: Powered by the refined responsive 2.0 litre petrol engine with advanced ECI Multi (Electronically Controlled Multi-point Fuel Injection). The 5-speed manual gear box with optimized gear ratios and synchronizers offers complete control, and provides superior shift feel.

Higher ground clearance, stiff chassis and superior, well-weighted suspension that's ideal for Indian road conditions.

Rally proven suspension system, with front McPherson struts and a rear multi-link system, offers additional stability and control, especially when accelerating into corners.

Easy maneuverability with minimum turning radius of 4.9m, that's ideal for getting out of tight spots or squeezing into one.





Safety

RISE body: The Reinforced Impact Safety Evolution (RISE) body protects the car occupants with each feature, offering in-built safety.

The front and rear crumple zones absorb impact and diffuse damage. Reinforced cabin and doors redirect impact energy away from the car occupants.

Dual Airbags and 3-point Emergency Locking Retractor seat belts ensure that your passengers and you don't ever have to worry about safety.

ABS with EBD system works with the ventilated front and rear disc brakes to make sure that you not only come to a smooth halt, but do so safely too.



Specifications

DIMENSIONS	Wheel base	mm	2600
	Overall width	mm	1695
	Overall length	mm	4595
	Overall height	mm	1455
	Min. ground clearance	mm	175
WEIGHTS	Maximum GVW	kg	1670
	Kerb weight with 90% fuel (with spare wheel, tools, etc.)	kg	1225
ENGINE	Type		4 Cylinder, In-line, 16 valve SOHC
	Displacement cc		1999
	Max. engine output, kW @ rpm		85 @ 5250
	Max. torque, Nm @ rpm		175 @ 4250
GEAR BOX	Type / Model		Manually operated/Synchromesh
	No. of gears		5 Forward; 1 Reverse
SUSPENSION	Front		McPherson strut & coil spring
	Rear		Multi-link
BRAKES	Front		Disc
	Rear		Disc ventilated
STEERING			Hydraulic Variable Power Assisted
WHEELS & TYRES	Wheel rim size		15" x 6.0 JJ Alloy (Front & Rear)
	Tyre size designation including ply rating / load index / speed rating		195/60R15 88V
FUEL TANK	Capacity	L	50
SAFETY			ABS with EBD
			Collapsible steering column
			RISE (Reinforced Impact Safety Evolution) body
			Power windows
			Child protection rear door locks
	Air bag		Front dual stage airbags (Driver & co-driver side)
EXTERIOR	Immobilizer		Engine immobilizer
	FRONT		
	Fog lamp		Front fog lamps
	Windshield wiper		Variable intermittent windshield wiper and washer system
	REAR		
	Bumper		Extended (Colour keyed)
	Spoiler		Spoiler with high mounted stop lamp
	Antenna		Roof antenna
INTERIOR	Defogger		Rear window with defogger
	Instrument panel		2 - tone combination panels
	Sunvisor		Front passenger's sunvisor with vanity mirror with lid and ticket holder
	Inside door handle		Chrome
	Console		Front & rear floor console with lid
	Steering wheel		3 Spoke MOMO steering wheel
	Gear shift knob		Leather wrapped gear shift knob & parking brake lever
	Front seats		Sliding and reclining with driver height adjust 2 way manual passenger side seat Height adjustable headrests
	Rear seats		Rear seat centre armrest with cup holders Fabric seats
	Audio		Kenwood 2 DIN music system with 4 speakers, USB interface
	Air conditioner		Climate control
		Rear window defogger switch	

Sports Shades



White Speed



Black Flash



Rally Red



Cyclone Yellow

Disclaimer: The specifications and the standard features detailed in this brochure may vary from the actual vehicle. The right to alter any specifications without prior notice rests solely with us. For more information, contact your nearest dealer.



For details, contact: **Hindustan Motors Ltd.**, Chennai Car Plant, Adhigathur, Kadambathur, Tiruvallur District, Tamil Nadu - 631 203. Tel: 044 2764 1400. Fax: 044 2764 2029. Website: www.mitsubishi-motors.co.in

Dealer Stamp