

L200



THE SPORT TRUCK L200



Left: 4WD GLS Double Cab with optional equipment / Earth Green Metallic [E27]
Right: 4WD GLS Double Cab with optional equipment / Sterling Silver Metallic [U25]

A Stylish Show of Strength. MITSUBISHI L200

Feel the power. Feel the handling.
Feel a new level of comfort in an entirely new class of vehicle.
The all new MITSUBISHI L200, it's all truck and all car and it changes
the way you think about getting from one place to another.



LED daytime running light



Outstanding aerodynamic performance

The new L200 is streamlined based on advanced computer simulation to slip through the wind with a class-leading 0.42* Cd that lowers noise and raises fuel efficiency while enhancing both acceleration and handling stability.

* According to internal test results.



4WD GLS Double Cab shown with optional equipment / Leather interior




4WD GLS Double Cab shown with optional equipment / Leather interior

Wide Open Spaces

Travel comfortably in the L200 Double Cab, which offers class-leading space and leg-stretching relaxation. Enhanced high-quality seating, including newly designed front seats, raises driving pleasure for all occupants. Strategically placed sound insulation and vibration damping material further contribute to a quiet, comfortable ride. Everything you need, including convenient storage features, is here to support a pleasurable journey.


Class-leading cabin length



Luxurious new front seats



Quieter, more relaxing ride



- 1 Instrument panel sound absorbing material
- 2 Floor damping material
- 3 Dashboard and fender noise insulation
- 4 Backbone sound absorbing material

* Equipment may vary by models.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

Dynamic Power

Power is supplied in abundance whenever you need it, from your choice of one gasoline and three diesel engines, including a 2.5-liter powerhouse that generates an impressive 131kW/4000rpm. Whatever the driving conditions, the L200 has what it takes to accomplish your mission.

DI-D
COMMON RAIL
Direct Injection Diesel

Power-boosting features give L200 DI-D engines incredible performance

2.5-liter 16-valve Intercooled Turbocharged DOHC Common Rail DI-D High Power

Three turbocharged diesel engines, including two with intercoolers, deliver the spirited response you need for serious work and play. Their common rail direct injection system optimizes fuel dispersion for peak efficiency, low emissions and power on demand.

400 N·m




DOHC 16-valve layout

Dual overhead camshafts and 16 cylinder valves deliver extremely high performance by optimizing fuel intake, combustion and exhaust. Precisely balanced roller rocker arms and scissor gears also fine-tune valve timing to achieve more complete combustion.




Turbocharger


A turbocharger forces more air into the combustion chambers to significantly boost power. An intercooler optimally cools the air to further improve combustion efficiency.



2.5-liter Turbocharged DOHC DI-D (81kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D Standard (100kW/4000rpm)



2.5-liter Intercooled Turbocharged DOHC DI-D High power (131kW/4000rpm)



Paddle shifters

Sporty paddle shifters let you shift gears with a press — without removing your hand from the steering wheel.



5-speed automatic transmission with Sports Mode

To enjoy driving ease without sacrificing sportiness, choose the smooth-shifting 5-speed automatic transmission. Its Sports Mode lets you shift up or down with a flick of the lever for sporty, manual-like driving pleasure.



5-speed manual transmission

For a feeling of total control that many enthusiasts demand, choose the 5-speed manual transmission. Its solid stick shift provides smooth, sure operation so you can confidently and intuitively coax out maximum performance.





4WD GLS Double Cab with optional equipment / Sterling Silver Metallic [U25]

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



All-terrain confidence

Because challenges come in all shapes and sizes, the L200 is designed to climb up, over, around and through the toughest terrain.



Drivability is improved, both on and off the road. Forward visibility has also been improved through refinements to the hood and wipers. Indicated angles are valid when 265/70R16 tires are mounted. When the optional rear bumper and side steps are included, the ramp break-over angle is 25° and the departure angle is 22° (stylish-type rear bumper) or 23° (chrome-type rear bumper).

Robust Handling

The L200 is built for maximum stability and traction. Its rugged frame contributes to solid handling and its body is aerodynamically contoured for stable highway performance. Reliable 4WD traction combines with an advanced suspension to keep you in touch with surface conditions so you stay in firm control.

SUPER SELECT 4WD-II

Using the drive mode selector dial, you can switch between 2WD (2H), and 4WD (4H, 4HLc) with shift-on-the-fly convenience at up to 100km/h. When the going gets rough, lock the center differential by entering the 4HLc setting for rugged terrain or the 4LLc setting for inclines, mud and snow.


Note: The vehicle must be stopped while switching between 4HLc and 4LLc.

2H	4H	4HLc	4LLc
For normal road conditions	For rough roads and hazardous conditions	For rugged terrain with low-grip surfaces	For steep hills, mud, sand, deep snow, etc.


EASY SELECT 4WD

Switch from smooth 2WD (2H) highway performance to rugged 4WD (4H) traction while driving at up to 100km/h. Transfer torque to all four wheels with a flick of the drive mode selector dial in the 4H mode or by entering the 4L mode, which provides lower gear ratios and higher torque for slower speed driving in rough terrain.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.




Without LSD



With LSD

Hybrid LSD

The hybrid-type Limited Slip Differential combines torque-sensing helical gears with speed-sensing viscous coupling to maintain excellent traction on slippery and rugged surfaces. An internal clutch escape mechanism also prevents loss of torque if a wheel starts spinning. Hybrid LSD works with ABS to enhance driving safety.



Class-leading 5.7m turning radius

The turning radius is surprisingly small for a vehicle of this size, making the L200 especially easy to park and maneuver.

* 2WD: 5.7 meters, 4WD: 5.9 meters

Quick, responsive handling

Steering is sporty and responsive, requiring less effort to turn.

Tough for work. Stylish for pleasure.

The muscular L200 is built tough to handle whatever work challenges come your way. Its ample storage capacity and durability are matched by handsome styling and spacious comfort that your traveling companions will appreciate. Streamlined styling also contributes to class-leading aerodynamics and a smooth, quiet ride.




4WD GL Single Cab with optional equipment / Titanium Gray Metallic [U17]

Room to spare

The stylish L200 never forgets its true calling. When you're hard at work, it provides all the space and tough reliability you need. The spacious cargo bed is also solidly reinforced to offer outstanding durability.



Double Cab



Single Cab



Cargo bed inner hook x 6



Multipurpose cargo bed outer hooks

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



Double wishbone suspension

The rugged suspension features double wishbones with coil springs and a stabilizer bar in front, plus no-nonsense above-the-axle leaf springs in the rear for outstanding traction. The ride is stable and comfortable for all occupants.

Durable design



In front, a more rigid engine compartment and double striker in the hood safety mechanism contribute to enhanced durability and safety. In the cargo bed, the rear corners are specially reinforced to disperse the force of impact when cargo shifts and prevent damage such as cracks in the side panels.

Robust construction



More rigid engine compartment



Reinforced rear corners




Hood safety mechanism with double striker

Convenience



Audio System with 6.1-inch Full-color Display
The L200 now features a display with 6.1-inch full-color touch screen. In addition to giving you full control over a wide range of audio options, the display also links to the rearview camera.

- 1 Easy-to-select menu**
The intuitive interface makes selecting functions safe and easy.
- 2 Rearview camera**
Safely navigate into even tight parking spaces.
- 3 USB connectivity**
Select music directly from your portable player.
- 4 Hands-free Bluetooth® telephone**
Incoming calls are displayed for easy viewing.



Tilt & telescopic steering



Multi-information display



Dual-zone automatic air conditioner



Keyless Operation System



Engine switch

Keyless operation system
While carrying the key, you can press a button on the outside of either front door to lock or unlock all the doors, or press the engine switch in the cockpit to start the engine.

ETACS (Electronic Time and Alarm Control System)



Power window timer
Even after shutting off the engine, the power windows can be opened or closed for 30 seconds before opening the door.



Headlamp auto off function
After switching off the ignition and stepping out of the car, the headlamps automatically turn off to help conserve battery power.



Auto door relock system
Within 30 seconds of pressing the unlock button from outside the car, this system will automatically relock all the doors if none have been opened.




Auto speed adjustable wipers
In the Timing mode, the window wipers operate faster at higher vehicle speeds.

Safety

RISE body
Collision safety performance is significantly enhanced by Mitsubishi's RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.

Rigid lightweight body



The body is extremely sturdy and lightweight, thanks to the generous use of high tensile strength steel plates that also contribute to a high level of collision safety.



7 SRS airbags
In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, front side airbags, curtain airbags and a driver's knee airbag. (Optional on GLS)




Double pretensioner (Driver's seat)

Pretensioners
Pretensioners on the front seatbelts automatically tighten the belts in the event of a frontal collision to help restrain the driver and front passenger and reduce the force of impact when the front airbags are deployed. (Single pretensioner optional for driver and front passenger. Double pretensioner optional for driver on GLS)



Immobilizer
The engine can only be started when a dedicated key with matching authentication code is used. This advanced security system effectively prevents vehicle theft.



ABS with EBD
The L200's ABS gives you the ability to suddenly maneuver safely around obstacles as you slow down. EBD (Electronic Brake-force Distribution) assists by applying additional force to the rear brakes as needed, enabling quicker stops even when carrying passengers and heavy loads.





Power windows
The driver's side window can be raised or lowered with a single touch and features an anti-trap mechanism for safety.

Double Cab GLS (4WD)

Available engines: 2.5-liter intercooled turbocharged DI-D High Power,
2.5-liter intercooled turbocharged DI-D Standard

Sportero



Double Cab GL (2WD/4WD)

Available engine: 2.5-liter turbocharged DI-D



Single Cab GL (2WD/4WD)

Available engine: 2.5-liter turbocharged DI-D



EXTERIOR COLORS



Grayish Brown Metallic (C06)



Impulse Blue Metallic (D23)



Earth Green Metallic (F27)



Red Solid (R59)



Titanium Gray Metallic (U17)



Sterling Silver Metallic (U25)



White Solid (W32)



White Pearl (W54)



Black Mica (X08)


SEAT MATERIALS AND COLORS




Leather (black)



High grade fabric (dark gray)



Fabric B (dark gray)



Fabric A (light gray)



Vinyl (gray)

EXTERIOR AND INTERIOR COLOR COMBINATIONS

Grade		■ Standard □ Optional — Not available		
		Double cab		Single cab
		GLS	GL	GL
Seat materials and colors	Black leather	□	—	—
	Gray high grade fabric	■	—	—
	Dark gray fabric	—	□	□
	Light gray fabric	—	□	□
	Gray vinyl	—	■	■
Exterior colors	Grayish Brown Metallic	C06	■	■
	Impulse Blue Metallic	D23	■	■
	Earth Green Metallic	F27	■	■
	Red Solid	R59	■	■
	Titanium Gray Metallic	U17	■	■
	Sterling Silver Metallic	U25	■	■
	White Solid	W32	■	■
	White Pearl	W54	■	—
	Black Mica	X08	■	■

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

STANDARD EQUIPMENT AND OPTIONS



1



2



3



4

- 1 17-inch alloy wheel with 245/65R17 tire
- 2 16-inch alloy wheel with 245/70R16 tire
- 3 16-inch alloy wheel with 265/70R16 tire
- 4 16-inch alloy wheel with 205R16C 8PR tire
- 4 15-inch alloy wheel with 195R15C 8PR tire



Chrome grille



Chrome outer door handles

Chrome rear gate handle



Chrome power door mirrors with side turn lamp



Front fog lamp with black bezel



Wide titanium gray fender



Rear body guard



"MITSUBISHI" decal on rear gate



1 Pipe-type side step

2 Plate-type side step



Chrome rear step bumper

Genuine accessories



Note: Actual accessories may vary from those shown or change without notice. Available accessories may vary by market.

STANDARD & OPTIONAL EQUIPMENT

■ Standard □ Optional — Not available

Model	Body type	Drive system	Trim level / Grade	Transmission	Engine	Double cab										Single cab			
						4WD					2WD					4WD		2WD	
						GLS				5M/T	GL				5M/T	GL			
						5A/T	5M/T	5A/T	5M/T		5A/T	5M/T	5A/T	5M/T		5A/T	5M/T		
						2.5L IC T/C Di (HP)	2.5L IC T/C Di (ST)	2.5L T/C Di	2.5L T/C Di	2.5L T/C Di	2.5L T/C Di	2.5L T/C Di	2.5L T/C Di						
Model code						KL3TJ YHFR	KL3TJ NHFR	KL3TJ YHFR	KL3TJ NHFR	KL3TJ NUTR	KJ3TJ NUTR	KL3TE NUTR	KJ3TE NUTR						
Drivetrain and chassis	Drivetrain	5-speed manual transmission																	
		5-speed automatic transmission																	
		Sport mode (4-position + Manual mode) with Electric shift lock and key lock system																	
		2WD																	
		Super Select 4WD-II																	
	Suspension and differential	Easy Select 4WD																	
		Immobilizer (master key x 2 with protector)																	
		Heavy duty suspension																	
		Comfort suspension																	
		Front stabilizer																	
	Brakes	Limited-slip differential (mechanical type)																	
		Limited-slip differential (hybrid type)																	
		LSPV (Load Sensing Proportioning Valve)																	
		ABS (Anti-lock Braking System) with EBD (Electronic Brake-force Distribution)																	
		15-inch ventilated disc																	
	Tires and wheels	16-inch ventilated disc																	
		10-inch leading-and-trailing drum																	
		Front & Rear: 195R15C 8PR tires with 15-inch steel wheels (chrome center caps)																	
		Spare: 195R15C 8PR + 15-inch steel wheel																	
		Front & Rear: 195R15C 8PR tires with 15-inch alloy wheels																	
	Tires and wheels	Spare: 195R15C 8PR + 15-inch steel wheel																	
		Front & Rear: 205R16C 8PR tires with 16-inch steel wheels (chrome center caps)																	
		Spare: 205R16C 8PR + 16-inch steel wheel																	
		Front & Rear: 205R16C 8PR tires with 16-inch alloy wheels																	
		Spare: 205R16C 8PR + 16-inch alloy wheel																	
	Tires and wheels	Front & Rear: 205R16C 8PR tires with 16-inch alloy wheels																	
		Spare: 205R16C 8PR + 16-inch steel wheel																	
		Front & Rear: 245/70R16 tires with 16-inch alloy wheels																	
Spare: 245/70R16 + 16-inch steel wheel																			
Front & Rear: 265/70R16 tires (mud & snow) with 16-inch alloy wheels																			
Exterior	Spare: 265/70R16 (mud & snow) + 16-inch alloy wheel																		
	Front & Rear: 245/65R17 tires with 17-inch alloy wheels																		
	Spare: 245/65R17 + 17-inch alloy wheel																		
	Front grille: material black (type A)																		
	Front grille: chrome (type B)																		
Chroming	Chrome power door mirrors																		
	Chrome outer door handles																		
	Chrome rear gate handle																		
	Front bumper: material black																		
	Front bumper: color-keyed																		
Lamps	Under garnish: material black																		
	Front bumper: color-keyed																		
	Under garnish: silver paint																		
	Halo																		
	Halo																		
Front	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Other	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Glass	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Sides	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Rear/Cargo	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Interior	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Instrument	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Panel	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Interior upgrade package	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Safety	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		
Seatbelt	Halo																		
	Halo																		
	Halo																		
	Halo																		
	Halo																		

TECHNICAL SPECIFICATIONS

Model	Body type	Double cab						Single cab	
	Drive system	4WD						4WD	2WD
	Engine	2.5 IC/TC DI-D High power		2.5 IC/TC DI-D		2.5 TC DI-D	2WD	2.5 TC DI-D	2.5 TC DI-D
	Price class	GLS				GL	GL	GL	
	Model code	KL3TJYHFPR	KL3TJNHFPR	KL3TJYHFR	KL3TJNHFR	KL3TJNJTR	KJ3TJNJTR	KL3TENJTR	KJ3TENJTR
Dimensions and weights									
Overall length	mm	5200						5075	
Overall width	mm	1815				1785		1785	
Overall height	mm	1780				1775	1655	1780	1655
Wheelbase	mm	3000						3000	
Ground clearance	mm	205 (205*1/220*2/205*3/220*4)		205 (212*1/225*2/212*3/220*4)		200 (212*1)	200	200 (212*1)	200
Cargo floor height	mm	850				845	715	845	710
Curb weight	kg	1850	1835	1830	1820	1775	1590	1690	1500
Gross vehicle weight	kg	2900	2870	2850		2850	2570	2760	2570
Seating capacity	persons	5				6	6	3	
Performance									
Max. speed*	km/h	175	179	165	167	147	152	147	152
Min. turning radius	m	5.9					5.7	5.9	5.7
Engine									
Type (code)		2.5-liter 16-valve inline-4 intercooled turbocharged DOHC diesel High Power (4D56)		2.5-liter 16-valve inline-4 turbocharged DOHC diesel intercooled Standard (4D56)		2.5-liter 16-valve inline-4 turbocharged DOHC diesel (4D56)		2.5-liter 16-valve inline-4 turbocharged DOHC diesel (4D56)	
Displacement	cc			2,477				2,477	
Max. output (EEC net)	kW (PS)/rpm	131 (178)/4,000		100 (136)/4,000		81 (110)/4,000		81 (110)/4,000	
Max. torque (EEC net)	N·m (kg·m)/rpm	400 (40.8)/2,000		324 (33.1)/2,000		200 (20.4)/1,500-3,500		200 (20.4)/1,500-3,500	
Fuel System									
Fuel supply system		Electronic Common Rail				direct injection		Electronic Common Rail direct injection	
Fuel tank capacity	litres	75						75	
Drive system									
Type		Super Select 4WD-II	Easy Select 4WD				2WD	Easy Select 4WD	2WD
Transmission									
Type		5-speed automatic with Sports Mode	5-speed manual	5-speed automatic with Sports Mode	5-speed manual			5-speed manual	
Steering									
Type		Rack-and-pinion, power assisted							
Suspensions									
Front		Wishbone, coil springs							
Rear		Elliptic leaf, springs							
Brakes									
Front		16-inch ventilated disc brakes				15-inch ventilated disc brakes		16-inch ventilated disc brakes	15-inch ventilated disc brakes
Rear		11.6-inch leading-and-trailing drums				10-inch leading-and-trailing drums		11.6-inch leading-and-trailing drums	10-inch leading-and-trailing drums
Tyres and wheels									
Tyres (front and rear)	Standard	245/70R16				205R16C 8PR	195R15C 8PR	205R16C 8PR	195R15C 8PR

*1 Model with reinforced front skid plate and floor undercover

*2 Model with reinforced front skid plate and floor undercover + 265/70R16 tires

*3 Model with reinforced front skid plate and floor undercover + 245/65R17 tires


*4 Model with floor undercover + 265/70R16 tires

* Measured by Mitsubishi Motors Corporation

Note: These specifications are subject to change without notice. Please consult your local Mitsubishi Motors dealer/distributor for detailed specifications.

DIMENSIONAL VIEWS

Double Cab (4WD)




*1 Overall width: 1815mm for GLS, 1785mm for GL


*2 Overall height: 1780mm for GLS, 1775mm for GL

*3 Minimum ground clearance: 205mm for GLS, 200mm for GL


Double Cab (2WD)



Single Cab (4WD)



Single Cab (2WD)



All measurements in millimeters



MITSUBISHI MOTORS
Official Facebook Page



www.facebook.com/MitsubishiMotors.en

 **MITSUBISHI MOTORS**
www.mitsubishi-motors.com

©2015 – 2016 Mitsubishi Motors Corporation. All rights reserved.
Ge/E32C220R-Mar.16T Printed in Japan

The paper used in this catalogue has been certified by the FSC® (Forest Stewardship Council) as having been produced through a 'chain of custody' system of forestry management, tracking and production oversight that ensures responsible consideration for the earth's ecosystem. Mitsubishi Motors has adopted the combined use of FSC-certified paper and recycled paper in our efforts to reduce CO₂ emissions and promote more efficient use of natural resources. In this way, we hope to contribute to greater protection of the environment.