

कुरा हो यो फाइदाको, क्याम्पर हो यो काइदाको



BOLERO
CAMPER DC

with

Power steering

Mahindra Bolero Pik-Up

उद्यमशील नेपालीको
भरपर्दो साथी

MAHINDRA BOLERO CAMPER SPECIFICATION

Engine

Engine	m2DiCR 4 Cyl 2.5L TB
Capacity	2523 cc
Max output	46.3 kW@3200 r/min
Max torque	195Nm @ 1400 - 2200 r/min

Transmission & Driveline

Clutch	Single Plate Dry Clutch
Gearbox	5 Speed All Synchroneshed 5 Forward, 1 Reverse

Steering

Type	Power
------	-------

Suspension

Front (with spring stiffness)	Rigid axle with leaf spring
Rear (with spring stiffness)	Rigid axle with leaf spring

Shock Absorbers

Hydraulic Double Acting, Telescopic Type

Brakes

Front	Disc brakes
Rear	Drum brakes

Wheel & Type

Tyre Type	Radial with tube (Radial tubeless for Cash Van variant)
Rim Size	6.0 J x 15
Tyre Size	P235/75 RIS

Fuel Tank Capacity

Litres	57
--------	----

Dimension

Wheel Base (mm)	3014
Front track	1443
Rear track	1135
Overall L x W x H (mm)	4859 x 1670 x 1810
Outer Cargo box dimensions (mm)	1481 x 1532 x 750
Minimum ground clearance (mm)	215

Weight

Kerb Weight (kg)	2WD - 1675, 4WD - 1771
GVW	2710
Payload (kg)	2WD - 1035, 4WD - 945

Seating Capacity

D+4

Warranty

3 year/3 lakh kms

हरेक सडक गल्लीमा Fit, तपाईंको बजेटमा SUPER HIT!

BOLERO PIK-UP **EXTRA LONG 1.5T**



with

Power steering

Mahindra Bolero Pik-Up

उद्यमशील नेपालीको
भरपर्ने साथी



MAHINDRA BOLERO PIK-UP - EXTRA LONG SPECIFICATION

Engine

Engine	m2DiCR 4 Cyl 2.5L TB
Capacity	2523 cc
Max output	46.3 kW (6.3 BHP)@3200 rpm
Max torque	195Nm (19.38 kgm) @ 1400 - 2200 rpm

Transmission & Driveline

Clutch	Single Plate Dry Clutch
Gearbox	5 Speed All Synchroneshed 5 Forward, 1 Reverse

Steering

Type	Power steering
------	----------------

Suspension

Front	5 leaves Rigid leaf spring suspension, Anti-roll bar provided at front
Rear	8 leaves Rigid leaf spring suspension Hydraulic Double Acting, Telescopic shock absorbers

Brakes

Type	LCRW
Front	Disc brakes
Rear	Drum brakes

Rear axle type

Double bearing

Wheel & Tyre

Type	Radial tyre with tube 5.5J x 15* (38.1cm for 700RTS, 12 PR
------	---

Fuel Tank Capacity

Litres	57
--------	----

Dimension (mm)

Wheel Base	3264
Overall length	5219
Overall width	1700
Overa;; height	1865
Load body (l x b x h)	2765x1700x650mm

Turning Circle radius (m) 6.5m

Weight (kg)

payload Weight	1500
Max GVW	3225
Kerb weight	1725

Warranty

3 year/3 lakh kms

Seating Capacity

D+1 (wider seat)

व्यवसाय अनेक, गाडी एक

महिन्द्रा **BOLERO PIK-UP** EXTRA **STRONG** 1.3T



with

Power steering

Mahindra Bolero Pik-Up

उद्यमशील नेपालीको
भरपर्दो साथी



MAHINDRA BOLERO PIK-UP - EXTRA STRONG SPECIFICATION

Engine

Engine	m2DiCR 4 Cyl 2.5L TB
Capacity	2523 cc
Max output	46.3 kW (63 BHP)@3200 r/min
Max torque	195Nm (19.38 kgm) @ 1400 - 2200 rpm

Transmission & Driveline

Clutch	Single Plate Dry Clutch
Gearbox	5 Speed All Synchroneshed 5 Forward, 1 Reverse

Steering

Type	Power steering
------	----------------

Suspension

Front	5 leaves Rigid leaf spring suspension, Anti-roll bar provided at front
Rear	7 leaves Rigid leaf spring suspension Hydraulic Double Acting, Telescopic shock obsorbers

Brakes

Type	LCRW
Front	Disc breakes
Rear	Drum brakes

Rear axle type

Double bearing

Wheel Type

Tyre Type	Radial tyre with tube 5.5J x 15* (38.1cm for 700RTS, 10 PR
-----------	---

Fuel Tank Capacity

Litres	57
--------	----

Dimension (mm)

Wheel Base	3260
Overall length	5219
Overall width	1670
Load body (l x b x h)	2540x1700x650mm

Turning Circle radius (m) 6.5m

Weight (kg)

payload Weight	1290 for PS, 1300 for MS
Max GVW	2990
Kerb weight	1700

Warranty

3 year/3 lakh kmsr

Seating Capacity

D+1 (wider seat)

बाटो होस् जस्तो सुकै अप्ठ्यारो BOLERO PIK-UP नै छ राम्रो = 4X4



with

Power steering

Mahindra Bolero Pik-Up

उद्यमशील नेपालीको
भरपर्दो साथी



MAHINDRA BOLERO 4x4 PIK-UP SPECIFICATION

Engine

Engine	m2DiCR 4 Cyl 2.5L TB
Capacity	2523 cm ³
Max output	46.3 kW (63 BHP)@3200 r/min
Max torque	195Nm (19.38 kgm) @ 1400 - 2200 r/min

Transmission & Driveline

Clutch	Single Plate Dry Clutch
Gearbox	5 Speed All Synchronised 5 Forward, 1 Reverse

Steering

Type	Power steering
------	----------------

Suspension

Front	Rigid leaf spring suspension, Anti-roll bar provided at front
Rear	Hydraulic Double Acting, Telescopic shock absorbers with leaf spring

Brakes

Front	Disc brakes
Rear	Drum brakes

Wheels & Types

Type	*Radial tyre with tube, 5.5J x 15" 38.1cm (15") for 7.00 R15 10 PR
------	---

Fuel Tank Capacity

Litres	57
--------	----

Dimension (mm)

Wheel Base	3014
Overall length	4859
Overall width	1670
Overall height	1810
Outer Load body (l x b x h)	2281x1532x750

Turning Circle radius (m)

	6.5m
--	------

Weight (kg)

payload Weight	1010
Max GVW	2750
Kerb weight	1740

Seating Capacity

	1+1
--	-----

Warranty

	3 year/3 lakh kms
--	-------------------

Agni Incorporated Pvt. Ltd.

Naxal, Bhagwati bahal, Kathmandu, Tel: 01-4419133/4419134; Patan Showroom: 01-5532641/5532328, 9801303100

Branch: Birgunj, Tel: 051-419323/419456, 9801239325, Fax: 051-419259, Bhairahawa, Tel: 071-429324; Itahari, Tel: 025-585742; Kohalpur, Tel: 081-541522

Balaju Auto Works Pvt. Ltd., Workshop: Balaju Industrial Area, Tel: 01-4350994 **Spare Parts Outlet:** Balaju Ring Road, Kathmandu, Tel: 01-4352806/4384176; Kuleshwar, Kathmandu, Tel: 01-5165235 **Authorized Service Center:** (Inside Kathmandu Valley) Balkhu, Tel: 01-4277864; Jorpati, Tel: 01-4910533; Balkumari, Tel: 01-5186180; Gausala, Tel: 01-4478502; Sinamangal, Tel: 01-4116618; Bafal, Tel: 01-4302828; Dhumbarahi, Tel: 01-4009123 (Outside Kathmandu Valley) Bardibas, Mobile: 9801627781, Nuwakot, Tel: 010-560810; Hetauda, Tel: 057-522007; Lahan, Tel: 033-562157; Dhading Besi, Tel: 010-521024

