

 **TOYOTA** | *Believe*

# HIACE



HIACE ZL IN FRENCH VANILLA



HIACE ZX VAN IN QUICKSILVER

# HIACE

Hiace vans have gone tirelessly about their business throughout New Zealand for many years making them the most preferred vans by a long stretch. Whether it's short haul city deliveries or carrying large bulky items long distances, Hiace vans have a deserved reputation as the reliable workhorse of many businesses.

With its ability to deliver what you need the most; space and safety - It's no wonder you see Hiace vans everywhere on our roads. The Hiace has been the versatile vehicle of choice for kiwi tradies. It's forward control-mounted engine ensures that as much of the van's shape as possible is given over to cargo space while still delivering an ANCAP 4 Star safety rating.

**Built-in safety** is the result of dedicated research pursuing crash safety while increasing load space. Standard features across the range include an energy absorbing steering column, impact absorbing structures in the pillar garnishes, side door impact bars, and a link-type brake pedal to minimise intrusion into the driver's foot well. Driver and front passenger airbags plus pre-tensioning front outer seatbelts with force limiters are standard for all models.

Hiace braking system features ventilated front disc brakes, an Anti-lock Braking System (ABS) and Brake Assist (BA).

**Interior design** with a focus on ergonomics ensures full control and ease of driving at all times. Indicators and switches are positioned for maximum visibility and intuitive operation. The dash-mounted shift lever allows pass-through access from either side of the cabin. Ergonomic seat design contributes to a comfortable driving experience on long trips and in stop-and-go city traffic .

**Powerful mechanical design** gives Hiace the heart to run all day, everyday. For all body styles there is a choice of 5-speed manual or 4-speed electronically controlled (ECT) automatic transmissions. The ZL van can be powered by a 2.7 litre petrol engine designed for the needs of commercial use. This engine produces 111kW of power at 4800rpm and 241Nm of torque at 3800rpm. For diesel fans the 3.0 litre turbo charged and intercooled common rail engine available in all models delivers 100kW of power at 3400rpm and an impressive 300Nm of torque from just 1200rpm.

Hiace ZL



Hiace ZX has 540mm more floor length and 300mm more load space height than Hiace ZL




Hiace ZX




Flush body surfaces and integrated side door rails make all Hiace models quiet achievers on the road.



Refreshments, music and comfortable seats will get you to your next job nicely relaxed.



The 2.7 litre petrol engine has the same level of sophistication as engines found in many passenger cars but with power and torque output developed to meet the needs of commercial drivers.



The 3.0 litre common rail turbo diesel engine is a four cylinder 16 valve DOHC design with intercooler that produces maximum torque from just 1200rpm.



HIACE ZL IN FRENCH VANILLA



HIACE ZL IN FRENCH VANILLA

# HIACE ZL

5 speed manual or 4 speed auto transmission

Petrol Manual  
12.1L/100km\*

Petrol Automatic  
12.3L/100km\*

Diesel Manual  
8.0L/100km\*

Diesel Automatic  
8.5L/100km\*



All models have airbags for the driver and front passenger.



Ample covered storage helps keep the interior clutter free preventing reflective objects interfering with visibility.



Door pockets on both sides have a circular recess to hold your drink bottle.



The image from the reversing camera is displayed within the rear view mirror.



## Hiace ZL 5 door van

FACTS AND FIGURES

Overall length:	4695mm
Overall width:	1695mm
Overall height:	1980mm
Wheelbase:	2570mm
Loadspace length:	2930mm
Loadspace width:	1545mm
Loadspace height:	1335mm
Kerb weight petrol - manual:	1735-1780kg
Kerb weight petrol - auto:	1750-1795kg
Kerb weight diesel - manual:	1845-1890kg
Kerb weight diesel - auto:	1855-1900kg
Gross vehicle weight:	2800kg
Max towing capacity - braked/unbraked:	1400/700kg



Hiace ZL driver and front passengers have an expansive view over the clean dash. In the wide bodied ZX model the view is even broader. The audio system includes an AM/FM radio with single in-dash MP3/WMA CD player, auxiliary input jack and USB connection, Bluetooth handsfree phone capability and audio streaming, voice control for audio/phone, 3 line text display, radio text, and 2 speakers for ZL and ZX models .



Hiace ZL van is available in 3 seat or 6 seat models. The second row seat provides extra capacity or can be folded for additional cargo space in ZL 6 seat models.



HIACE ZX IN QUICKSILVER



HIACE ZX IN QUICKSILVER

# HIACE ZX

5 speed manual or  
4 speed auto transmission

Diesel  
Manual  
8.7L/100km\*

Diesel  
Automatic  
9.2L/100km\*



An important feature is the dash mounted gear lever that maximises interior space.



The fold down table in ZL and ZX vans allows important documents to be kept close at hand.



The cab forward design neatly packages the engine under the front passenger seat.



The dual sliding side doors in ZL and ZX gives ready access to the cargo area.



## Hiace ZX 5 door van FACTS AND FIGURES

Overall length:	5380mm
Overall width:	1880mm
Overall height:	2285mm
Wheelbase:	3110mm
Loadspace length:	3470mm
Loadspace width:	1730mm
Loadspace height:	1635mm
Kerb weight - manual:	1980-2025kg
Kerb weight - auto:	1990-2035kg
Gross vehicle weight:	3200kg
Max towing capacity - braked/unbraked:	1400/700kg



With its large load area the Hiace ZX van easily stows and carries standard building products. The low level loading, rear step bumper and tie-down hooks makes ZX the large van of choice. With ample space between the rear wheel arches, standard building panels fit with ease.



HIACE MINIBUS IN FRENCH VANILLA



HIACE MINIBUS IN FRENCH VANILLA

# HIACE MINIBUS

5 speed manual or 4 speed auto transmission

<b>Diesel Manual</b> 8.7L/100km*	<b>Diesel Automatic</b> 9.2L/100km*
-------------------------------------	----------------------------------------



## Hiace 4 door Minibus


### FACTS AND FIGURES

Overall length:	5380mm
Overall width:	1880mm
Overall height:	2285mm
Wheelbase:	3110mm
Seating capacity:	12
Kerb weight - manual:	2150-2165kg
Kerb weight - auto:	2165-2180kg
Gross vehicle weight:	3250kg
Max towing capacity - braked/unbraked:	1400/700kg

\*Fuel consumption and CO<sub>2</sub> emissions will vary depending on driving conditions/style, vehicle condition and options/accessories fitted. ADR 81/01 (combined).



Interior comfort is paramount for happy, relaxed passengers. Full cabin air-conditioning is delivered through ceiling vents. Passengers travel in comfort and safety thanks to all seats having 3-point ELR seat belts.



As well as having plenty of space inside, the Minibus side door has been designed with ample head room for easy entry and exit.

### EXTERIOR COLOURS



FRENCH VANILLA 058



QUICKSILVER 1E7 MICA METALLIC



MAGMA RED 3L5 - FIRM DEALER ORDER ONLY



CASCADE BLUE 8P4 MICA METALLIC  
FIRM DEALER ORDER ONLY



BLACK CHERRY 3R9 MICA METALLIC  
FIRM DEALER ORDER ONLY - ZL ONLY

### INTERIOR TRIM



DARK GREY FABRIC

# HIACE SPECIFICATIONS

	HIACE ZL	HIACE ZX	HIACE MINIBUS	
<b>MECHANICAL SPECIFICATIONS</b>	The 2.7L petrol engine is a 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design with VVT-i (Variable Valve Timing-intelligent). Maximum power of 111kW is produced @ 4800rpm and maximum torque is 241Nm @ 3800rpm. Electronic fuel injection system.	•		
	91 octane petrol is recommended. Fuel tank capacity is 70 litres.	•		
	Fuel consumption*: Manual - 12.1L/100km; Automatic - 12.3L/100km.	•		
	The 3.0 litre intercooled turbo diesel engine is a 4 cylinder In-line 16 valve DOHC (Double Overhead Cam) design. Maximum power of 100kW is produced @ 3400rpm and maximum torque is 300Nm @ 1200~2400rpm. Direct injection system.	•	•	•
	Diesel is required. Fuel tank capacity is 70 litres.	•	•	•
	Fuel consumption*: Manual - 8.0L/100km; Automatic - 8.5L/100km.	•		
	Fuel consumption*: Manual - 8.7L/100km; Automatic - 9.2L/100km.		•	•
<b>BRAKES/ BRAKES SUSPENSION</b>	5-speed manual transmission.	•	•	•
	4-speed electronically controlled automatic transmission (ECT) with lock-up torque converter and shift lock system.	•	•	•
	Suspension - Front is fully independent double wishbone with upper torsion bar. Rear suspension is leaf spring with rigid axle.	•	•	•
<b>SAFETY FEATURES</b>	Steering is engine speed sensitive power assisted rack and pinion with 4.1 turns lock to lock.	10.0m turn circle	12.4m turn circle	12.4m turn circle
	Braking is by power-assisted ventilated front disc and rear drum brakes.	•	•	•
	Anti-lock Braking System (ABS) with Brake Assist (BA). Dash lever type mechanical parking brake.	•	•	•
	Driver and passenger front airbags.	•	•	•
<b>INTERIOR FEATURES &amp; CONVENIENCE</b>	Front seat belts - 2 x 3-point ELR outer seat belts with pre-tensioners, 1 x 2-point NR centre seat belt.	•	•	
	Second row seat belts - 2 x 3-point ELR outer seat belts with 1 x 2-point NR centre seat belt.	6 seats only		
	Front and rear seat belts - 2 x 3-point ELR outer seat belts with pre-tensioners, 10 x 3-point ELR rear seat belts.			•
	Back monitor display in rear view mirror.	•	•	•
	4-spoke soft feel urethane steering wheel with airbag and audio switches.	•	•	•
	Cruise control.	•	•	•
	Dark grey fabric seat material; driver's seat with slide and recline functions; front bench seat with recline function; fold down centre backrest with small items tray; front assist grips. Available with 3 or 6 seats.	•		
	Dark grey fabric seat material; driver's seat with slide and recline functions; separate front passenger seats with slide and recline functions; fold down centre backrest with small items tray; front assist grips. Available with 3 seats.		•	
	Dark grey fabric seat material; driver and front passenger seats with slide and recline functions; 10 rear seats with recline function. Front and rear passenger assist grips. Seats 12 including driver.			•
	Air conditioning - front	•	•	Rear cooler
<b>AUDIO</b>	Power front windows. Driver's window auto up/down with anti-jam safety function.	•	•	•
	Single front and dual rear door operated interior room lights.	•	•	•
	Step Lamp.			•
	Glovebox; door pockets with drink bottle holders.	•	•	•
	Back door inside handle with lock.			•
	Remote central door locking.	•	•	•
	AM/FM radio, single disc in-dash MP3/WMA CD player, auxiliary input jack and USB connection, Bluetooth handsfree and audio streaming, Bluetooth phonebook access profile and voice control for audio/phone.	2 speakers	2 speakers	4 speakers
<b>EXTERIOR</b>	Steel wheels are 6JJx15" fitted with 195/80R15 steel belted radial ply tyres. Full size spare wheel.	•	•	•
	Tinted laminated windscreen; washer-linked variable intermittent wipers; green tinted side and rear glass with UV reduction; intermittent rear wiper.	•	•	•
	Halogen headlights and daytime running lights.	•	•	•
	Black bumpers, exterior door handles and electric exterior rear view mirrors. Silver painted grille.	•	•	•
	Front and rear mudflaps.	•	•	•
	Luggage tie-down hooks.	•	•	•

Because Toyota believes in going the extra mile we offer comprehensive support and a great range of products and services for our valued customers. For more detail please visit: [www.toyota.co.nz/extracare](http://www.toyota.co.nz/extracare)

Follow us on:



\* whichever occurs first under normal operating conditions.

\* Fuel consumption and CO<sub>2</sub> emissions will vary depending on driving conditions/style, vehicle condition and options/accessories fitted. ADR 81/01 (combined).

Every endeavour has been made to ensure text details and specifications contained in this publication were accurate as at 14 April 2014. Toyota New Zealand Limited reserves the right at any time to introduce any changes deemed necessary to improve the models shown or for any other reason. Paint and upholstery colours shown in this brochure may differ from actual colours due to variations in printing processes. Some models shown in this brochure may have optional accessories fitted.

For further information contact your nearest Authorised Toyota Dealer. They will be glad to assist. [Production effective November 2013]