

**COLT**  
*Juro*





## The small car with a big heart

When you need a car to fit right into those congested city streets, yet is comfortable, practical, affordable and insurable, you need look no further than the Colt Juro. It's a car designed to dodge in and out of the tightest spots, yet it will carry family and friends long distances without cramping their style. It looks seamless, sleek and slightly daring, more importantly it will continue to look as good for many years to come, for Mitsubishi are as renowned for their build quality as for their reliability. It's agile, with a capable, front-wheel drive chassis, well-tuned suspension and wheel-at-each-corner stance, and it comes with a sporty-sounding 1.3 litre engine with a strong torque delivery from 4000 rpm and very respectable top

speed. It also comes with a choice of slick, five-speed manual gearbox, six-speed automated manual for the best of both worlds (fully automatic, which is ideal for use in traffic, as well as a quick-change, sequential manual shift), or with the ClearTec technology package which includes low rolling resistance tyres, regenerative braking, an optimized final drive gear ratio and Auto Stop & Go, and rewards with even more frugal fuel consumption and Band C emissions resulting in a Road Fund Licence fee of just £30 per annum with nothing to pay in the first year! Take a close look at a Colt Juro: like many before you, you may just find that a Colt will become the love of your life.



Lower, shorter and rather bolder in style than the five-door model, the three-door Colt Juro draws its styling from Mitsubishi's CZ2 and CZ3 concept cars.



## Space station

The Colt Juro was designed from the inside out, which explains how an interior so light, bright and spacious was shoe-horned into a vehicle with such perfectly compact dimensions. In the front the huge, steeply raked windscreen lets in plenty of light, and there's enough shoulder-, leg- and head-room in both the front and back seats to mean that genuine six-footers can travel anywhere in comfort. It's perfectly specified too, with leather seats, electrically operated heated door mirrors and electric windows all round, air conditioning and a very clever, fully integrated, portable navigation system with a 4.3" touch screen display, voice guidance, TMC traffic information and map updates for 41 countries across Europe; it even includes an MP3 player and Bluetooth hands-free 'phone kit! So, however far you venture in your Colt Juro, you've no excuse for getting lost or being out of touch.



The neat, leather wrapped, rake adjustable steering wheel carries both audio and cruise control buttons, enabling you to keep your eyes on the road and your hands right where they should be – on the wheel at all times.

# Technical Specifications

| Model                                         |                                  | Colt CZ2 3-Door<br>1.3 Manual<br>ClearTec                                                                                                    | Colt CZ2 3-Door<br>1.3 Manual/AMT | Colt CZ2 5-Door<br>1.3 Manual<br>ClearTec                                                                                        | Colt CZ2 5-Door<br>1.3 Manual/AMT |
|-----------------------------------------------|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| <b>Engine</b>                                 |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Engine type                                   |                                  | 4-cylinder 16-valve DOHC with Auto Stop & Go                                                                                                 | 4-cylinder 16-valve DOHC          | 4-cylinder 16-valve DOHC with Auto Stop & Go                                                                                     | 4-cylinder 16-valve DOHC          |
| Fuel system                                   |                                  | Electronically controlled multi-point fuel injection (ECI-MULTI)                                                                             |                                   | Electronically controlled multi-point fuel injection (ECI-MULTI)                                                                 |                                   |
| Displacement                                  | cc                               | 1332                                                                                                                                         | 1332                              | 1332                                                                                                                             | 1332                              |
| Bore/stroke                                   | mm                               | 75.0 x 75.4                                                                                                                                  | 75.0 x 75.4                       | 75.0 x 75.4                                                                                                                      | 75.0 x 75.4                       |
| Compression ratio                             |                                  | 11.0                                                                                                                                         | 10.5                              | 11.0                                                                                                                             | 10.5                              |
| Max. output                                   | kW (bhp) at rpm                  | 70 (94)/6000                                                                                                                                 | 70 (94)/6000                      | 70 (94)/6000                                                                                                                     | 70 (94)/6000                      |
| Max. torque                                   | Nm (lb.ft) at rpm                | 125 (92)/4000                                                                                                                                | 125 (92)/4000                     | 125 (92)/4000                                                                                                                    | 125 (92)/4000                     |
| <b>Performance/Fuel Consumption/Emissions</b> |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Maximum speed                                 | mph (kph)                        | 112 (180)                                                                                                                                    | 111 (178) [112 (180)]             | 112 (180)                                                                                                                        | 111 (178) [112 (180)]             |
| Acceleration 0-62 mph                         | secs                             | 10.4                                                                                                                                         | 11.0 [11.8]                       | 10.6                                                                                                                             | 11.1 [12.0]                       |
| Fuel type                                     |                                  | Unleaded                                                                                                                                     | Unleaded                          | Unleaded                                                                                                                         | Unleaded                          |
| Fuel consumption                              | Urban mode                       | 6.3 (44.8)                                                                                                                                   | 7.4 (38.2) [7.3 (38.7)]           | 6.3 (44.8)                                                                                                                       | 7.4 (38.2) [7.3 (38.7)]           |
| lts/100km (mpg)                               | Extra urban mode                 | 4.3 (65.7)                                                                                                                                   | 4.8 (58.9) [4.6 (61.4)]           | 4.3 (65.7)                                                                                                                       | 4.8 (58.9) [4.6 (61.4)]           |
|                                               | Combined mode                    | 5.0 (56.5)                                                                                                                                   | 5.8 (48.7) [5.6 (50.4)]           | 5.0 (56.5)                                                                                                                       | 5.8 (48.7) [5.6 (50.4)]           |
| CO <sub>2</sub> emissions                     | g/km                             | 119                                                                                                                                          | 138 [133]                         | 119                                                                                                                              | 138 [133]                         |
| <b>Suspension/Steering</b>                    |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Front axle                                    |                                  | MacPherson strut, coil springs with stabilizer bar                                                                                           |                                   | MacPherson strut, coil springs with stabilizer bar                                                                               |                                   |
| Rear axle                                     |                                  | Torsion beam with stabilizer bar                                                                                                             |                                   | Torsion beam with stabilizer bar                                                                                                 |                                   |
| Brakes                                        |                                  | Anti-lock Braking System with Electronic Brakeforce Distribution (ABS with EBD),<br>Brake Assist (BA) and Emergency Stop signal System (ESS) |                                   |                                                                                                                                  |                                   |
|                                               | Front                            | 10.1" ventilated discs                                                                                                                       | 10.1" ventilated discs            | 10.1" ventilated discs                                                                                                           | 10.1" ventilated discs            |
|                                               | Rear                             | 8" drums                                                                                                                                     | 8" drums                          | 8" drums                                                                                                                         | 8" drums                          |
| Steering                                      |                                  | Rack & Pinion (Electrical power assisted)                                                                                                    |                                   | Rack & Pinion (Electrical power assisted)                                                                                        |                                   |
| Min. turning circle                           | m (ft)                           | 10.2 (33.5)                                                                                                                                  | 10.2 (33.5)                       | 10.2 (33.5)                                                                                                                      | 10.2 (33.5)                       |
| Tyres                                         |                                  | 185/55R15 81T (LRR)                                                                                                                          | 205/45R16 83H                     | 185/55R15 81T (LRR)                                                                                                              | 205/45R16 83H                     |
| Wheels                                        |                                  | 15" x 6.0J Alloy                                                                                                                             | 16" x 6.5J Alloy                  | 15" x 6.0J Alloy                                                                                                                 | 16" x 6.5J Alloy                  |
| <b>Driveline/Transmission</b>                 |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Type                                          |                                  | Front transverse engine/Front wheel drive                                                                                                    |                                   | Front transverse engine/Front wheel drive                                                                                        |                                   |
| Clutch                                        | Manual/Allshift AMT <sup>†</sup> | Hydraulic – dry single disc                                                                                                                  | Hydraulic – dry single disc       | Hydraulic – dry single disc                                                                                                      | Hydraulic – dry single disc       |
| Transmission                                  | Manual                           | 5-speed                                                                                                                                      | 5-speed                           | 5-speed                                                                                                                          | 5-speed                           |
|                                               | Allshift AMT <sup>†</sup>        | –                                                                                                                                            | 6-speed                           | –                                                                                                                                | 6-speed                           |
| Gear ratios                                   | 1st                              | 3.31                                                                                                                                         | 3.31 [3.07]                       | 3.31                                                                                                                             | 3.31 [3.07]                       |
|                                               | 2nd                              | 1.91                                                                                                                                         | 1.91 [1.91]                       | 1.91                                                                                                                             | 1.91 [1.91]                       |
|                                               | 3rd                              | 1.26                                                                                                                                         | 1.26 [1.26]                       | 1.26                                                                                                                             | 1.26 [1.26]                       |
|                                               | 4th                              | 0.94                                                                                                                                         | 0.94 [0.94]                       | 0.94                                                                                                                             | 0.94 [0.94]                       |
|                                               | 5th                              | 0.76                                                                                                                                         | 0.76 [0.76]                       | 0.76                                                                                                                             | 0.76 [0.76]                       |
|                                               | 6th                              | –                                                                                                                                            | – [0.64]                          | –                                                                                                                                | – [0.64]                          |
|                                               | Reverse                          | 3.23                                                                                                                                         | 3.23 [3.23]                       | 3.23                                                                                                                             | 3.23 [3.23]                       |
| Final gear ratio                              |                                  | 3.84                                                                                                                                         | 4.16 [4.53]                       | 3.84                                                                                                                             | 4.16 [4.53]                       |
| <b>Dimensions</b>                             |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Exterior l x w x h                            | mm                               | 3880 x 1695 x 1520                                                                                                                           | 3880 x 1695 x 1520                | 3940 x 1695 x 1550                                                                                                               | 3940 x 1695 x 1550                |
| Ground clearance                              |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| (unladen)                                     | mm                               | 154                                                                                                                                          | 154                               | 154                                                                                                                              | 154                               |
| Track Front                                   | mm                               | 1460                                                                                                                                         | 1460                              | 1460                                                                                                                             | 1460                              |
| Rear                                          | mm                               | 1445                                                                                                                                         | 1445                              | 1445                                                                                                                             | 1445                              |
| Wheelbase                                     | mm                               | 2500                                                                                                                                         | 2500                              | 2500                                                                                                                             | 2500                              |
| <b>Weights/Volumes</b>                        |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Seating capacity                              |                                  | 5                                                                                                                                            | 5                                 | 5                                                                                                                                | 5                                 |
| Cargo capacity min.                           | lts VDA (cu.ft.)                 | 155 (5.5)                                                                                                                                    | 155 (5.5)                         | 220 (7.8)                                                                                                                        | 220 (7.8)                         |
| Cargo capacity max.                           | lts VDA (cu.ft.)                 | 535 (18.9)                                                                                                                                   | 535 (18.9)                        | 585 (20.8)                                                                                                                       | 585 (20.8)                        |
| Fuel tank capacity                            | lts (imp.galls)                  | 47 (10.3)                                                                                                                                    | 47 (10.3)                         | 47 (10.3)                                                                                                                        | 47 (10.3)                         |
| Gross vehicle weight                          | kg (lbs)                         | 1435 (3164)                                                                                                                                  | 1430 (3153) [1435 (3164)]         | 1465 (3230)                                                                                                                      | 1460 (3219) [1465 (3230)]         |
| Kerb weight                                   | kg (lbs)                         | 945 (2084)                                                                                                                                   | 940 (2073) [945 (2084)]           | 975 (2150)                                                                                                                       | 970 (2139) [975 (2150)]           |
| Towing capacity                               | Braked kg (lbs)                  | 750 (1654)                                                                                                                                   | 750 (1654)                        | 1000 (2205)                                                                                                                      | 1000 (2205)                       |
|                                               | Unbraked kg (lbs)                | 500 (1103)                                                                                                                                   | 500 (1103)                        | 500 (1103)                                                                                                                       | 500 (1103)                        |
| Trailer nose weight                           | kg (lbs)                         | 50 (110)                                                                                                                                     | 50 (110)                          | 50 (110)                                                                                                                         | 50 (110)                          |
| Roof loading capacity                         | kg (lbs)                         | 50 (110)                                                                                                                                     | 50 (110)                          | 50 (110)                                                                                                                         | 50 (110)                          |
| <b>Servicing/Insurance/Warranty</b>           |                                  |                                                                                                                                              |                                   |                                                                                                                                  |                                   |
| Service intervals                             |                                  | Every 12,500 miles or 12 months, whichever occurs first                                                                                      |                                   | Every 12,500 miles or 12 months, whichever occurs first                                                                          |                                   |
| Insurance group                               |                                  | 16E                                                                                                                                          | 16E                               | 16E                                                                                                                              | 16E                               |
| Warranty                                      |                                  | 3 year unlimited mileage warranty, 12 year anti-perforation warranty, 3 year pan-European roadside, home and accident assistance             |                                   | 3 year unlimited mileage warranty, 12 year anti-perforation warranty, 3 year pan-European roadside, home and accident assistance |                                   |

<sup>\*1</sup> Allshift AMT : Automated Manual Transmission   [ ] Figures apply to Allshift AMT

## Key Features

### All models

#### Security and Safety

- ABS with EBD
- Airbag SRS, driver's and front passenger's
- Airbag SRS, front passenger deactivation switch
- Deadlocks
- Emergency Stop signal System (ESS)
- Fog lamp, rear
- Head restraints x 5, height-adjustable, front and rear
- High-mount stop lamp, rear
- Immobiliser, engine
- ISO-Fix child seat mountings, 2nd row
- Keyless entry
- Locking wheel nuts
- Seatbelts, front – ELR with pretensioners and force limiters
- Seatbelts, rear – ELR/ALR x 2, centre ELR x 1

#### Exterior

- 15" alloy wheels, 8-spoke (ClearTec models)
- 16" alloy wheels, split 5-spoke (not ClearTec models)
- Door and tailgate handles, colour keyed
- Door mirrors, part colour keyed
- Privacy glass, tailgate window (5-door models)
- Central door locking including tailgate
- Fog lamps, projector type, front
- Tyre repair kit
- Wipers, variable intermittent with washer, front
- Wiper, intermittent with washer, rear

#### Interior

- Garmin satellite navigation system, dash-top mounted (post-registration installation)
- iPod/MP3 aux input port
- Stereo radio/CD with 4 speakers
- Gear knob, leather-wrapped, black (manual only)
- Inner door handles, silver
- Instrument meter trim, silver
- Seat trim, leather, black
- Steering wheel, leather-wrapped, black with audio and cruise controls
- 12v accessory socket, front
- Air conditioning, semi-automatic with pollen filter
- Assist grip, front passenger's
- Assist grips, rear passengers' (5-door models)
- Cup holders, front (2) and rear (1)
- Footrest, driver's
- Sunvisors with vanity mirrors, driver's and passenger's
- Auto Stop & Go (AS&G) (ClearTec models)
- Cruise control
- Door mirrors, electrically adjustable and heated
- Electric windows, front with driver's auto-down
- Electric windows, rear (5-door models)
- Gearshift indicator
- Headlamp levelling device
- Movable luggage/cargo area floor, 2-level (5-door models)
- Multi-info display
- Steering wheel, tilt adjustable
- Interior lamp with map lamps, front
- Luggage/cargo area lamp
- Driver's seat, height adjustable
- Front seats, sliding/reclining (3-door models)
- Front seats, sliding/reclining with fully-flat function (5-door models)
- Rear seats, 60/40 split backrest and split cushion
- Rear seats, split-fold/tumble
- Seatbelts, height-adjustable, front

## Colour Options



Lunar Silver (M)



Spicy Red (S)



Graphite Blue (M)



Atlantis Blue (P)



Smoked Grey (M)



Porcelain White (S)



Sparkling Black (M)

| Model                  |     | Colt Juro 3-Door/5-Door                 |
|------------------------|-----|-----------------------------------------|
| <b>Exterior colour</b> |     |                                         |
| Lunar Silver (M)       | A50 | ■                                       |
| Spicy Red (S)          | P04 | ■                                       |
| Graphite Blue (M)      | D09 | ■                                       |
| Atlantis Blue (P)      | T96 | ■                                       |
| Smoked Grey (M)        | U05 | ■                                       |
| Porcelain White (S)    | W16 | ■                                       |
| Sparkling Black (M)    | X62 | ■                                       |
| <b>Seats</b>           |     | Leather (Black)                         |
| <b>Door trim</b>       |     | Formed-type with Grained Insert (Black) |
| <b>Headlining</b>      |     | Non-woven Fabric (Grey)                 |
| <b>Floor carpet</b>    |     | Needle Punch (Black)                    |

■ : Available M: Metallic\* P: Pearlescent\* S: Solid

\*Metallic/pearlescent paint finish available at additional cost.

Colours and trims reproduced on these pages may vary from the actual colours due to the limitations of the printing process used.

## Mitsubishi at your service

Naturally frugal, the Colt is even more economical with a Mitsubishi Service Plan. This covers the first three scheduled services for a modest sum, can be added to your vehicle's finance and transferred to a new owner when you sell. There's also an insurance cover which is specifically designed for Mitsubishi vehicles and uses only genuine parts and approved repair centres. And to smooth your progress through an insurance claim, no matter which insurer you use, Mitsubishi Accident Aftercare will handle everything on your behalf – no hassle, no claim forms, no running about, and absolutely no cost to you. It's all part of the special service you get when you buy a Mitsubishi Colt.



## Personalize your Colt

Despite its superb standard specification and trend-setting good looks, the Colt also benefits from an extensive range of accessories, both decorative and practical, all of which benefit from the same exceptional warranty as your car if fitted when new. Probably the most practical of all is the excellent-value Protection Pack, which includes everything you need to keep your Colt in pristine condition both inside and out – rear parking sensors, mud guards, door entry guards and a full textile mat set. Check out the full range of Colt accessories at [www.mitsubishi-accessories.co.uk](http://www.mitsubishi-accessories.co.uk)

## **MITSUBISHI MOTORS RECYCLING**

We all have a duty to protect the environment. After a long working life we will take back any Mitsubishi Motors vehicle originally sold by The Colt Car Company Ltd. and recycle it in an environmentally friendly manner in accordance with the EU Directive on End-of-Life Vehicles and any applicable national statutory provisions.

All Mitsubishi Motors vehicles sold by The Colt Car Company Ltd., irrespective of date of sale, will be taken back free of charge from the last owner, at one of the designated take-back points, provided the vehicle contains all major components and is free of waste.

For further information please visit [www.cartakeback.com](http://www.cartakeback.com), email [info@cartakeback.com](mailto:info@cartakeback.com) or call the Cartakeback info-line on 0845 257 32 33.

The specification of the vehicles illustrated in this publication may not be applicable to the UK market, furthermore some vehicle illustrations may include accessory items which are not part of UK standard specification. However, every effort has been made to ensure that the written information was accurate, up-to-date and consistent with UK specification at the time of going to press. The right is reserved to change specification, features and prices without prior notice. To avoid any misunderstandings, your Mitsubishi Motors dealer will advise of any alterations made since the date of issue of this brochure. No part of this publication may be reproduced in any form or by any means, without the prior written permission of The Colt Car Company Limited.

Head Office: The Colt Car Company Ltd., Watermoor, Cirencester, Glos. GL7 1LF  
Website: [www.mitsubishi-cars.co.uk](http://www.mitsubishi-cars.co.uk)

This brochure has been produced by an ISO14001 environmentally accredited printer where all processes are managed and materials recycled. The paper used to produce this brochure is from sustainable forests, chlorine free and from an ISO14001 accredited mill. This brochure is fully recyclable.