



| BANTAM |



Feel the difference



The Bantam heritage

The Built Ford Tough **BANTAM** is an uniquely South African innovation. For 26 years it's combined the durability and reliability of a pick-up with the comfort and performance of a car.

It is the half-ton bakkie that South Africans have grown to know and love.

Hardworking yet stylish

Set your eyes on the **BANTAM** and you'll immediately notice just how remarkable it is. From the prominent Ford grille to the alloy wheels and all the other impressive exterior design cues all add loads of style to accompany the **BANTAM**'s hardworking image. Available in three hardworking, never-say-die engines namely the 1.3i and 1.6i petrol derivatives plus the 1.4TDCi, one of the hardest working diesel engines in its class.

Spacious interior



Inside the large interior cab are two separate, full-sized adjustable seats offering ample space and comfort. Cloth seats, standard across the range, add a touch of style while the optional radio/CD with two speaker audio system offers greater audio entertainment. In the XLT model there's remote central locking, a sliding rear window and air conditioning for added convenience.

All round the **BANTAM** will ensure that your needs are always met and that it will deliver on everything you expect and more.

Colour specifications



FordProtect
Each **BANTAM** model comes standard with a 4yr/120 000km Comprehensive Warranty. Service intervals for the **BANTAM** are every 15 000km.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford dealer for more information regarding **FordProtect** plans and products.

Please note that due to printing limitations, it is impossible to accurately represent the correct colours.



Ford may, subject to all applicable laws, discontinue or change features and other specifications either temporarily or permanently, which changes will be communicated to the Ford Dealer Network.

Printed May 2011. 58840

www.ford.co.za

	1.3i	1.3i XLA/C	1.6i	1.6i XLT A/C	1.4TDCi
Engine and Mechanical					
Type	SOHC-Efi	SOHC-Efi	SOHC-Efi	SOHC-Efi	TDCi SOHC
Valves	2 per cylinder	2 per cylinder	2 per cylinder	2 per cylinder	2 per cylinder
Capacity (cc)	1297	1297	1597	1597	1399
Compression ratio	10.2:1	10.2:1	9.5:1	9.5:1	18.0:1
Bore and stroke (mm)	73.95 x 75.48	73.95 x 75.48	82.0 x 75.48	82.0 x 75.48	73.7 x 82
Cylinders	4	4	4	4	4
Power (kW @ rpm)	55 @ 5500	55 @ 5500	70 @ 5500	70 @ 5500	50 @ 4000
Torque (Nm @ rpm)	110 @ 3000	110 @ 3000	137 @ 2500	137 @ 2500	160 @ 2000
Transmission					
5-speed manual	Std	Std	Std	Std	Std
Final Drive Ratio	4.25	4.25	4.06	4.06	3.82
Suspension					
Front - McPherson struts with gas filled shocks and anti-roll bar	Std	Std	Std	Std	Std
Rear - Dead axle with leaf springs and gas filled shocks	Std	Std	Std	Std	Std
Steering					
Type	Power assisted	Power assisted	Power assisted	Power assisted	Power assisted
Turning circle (wall to wall)	10.4	10.4	10.4	10.4	10.4
Brakes					
Front	Vent discs	Vent discs	Vent discs	Vent discs	Vent discs
Rear	Drums	Drums	Drums	Drums	Drums
Wheels and Tyres					
Size	5J x 13" (steel)	5J x 13" (steel)	5J x 13" (steel)	5J x 14" (Alloy)	5J x 13" (steel)
Tyres	165/80 TR 13	165/80 TR 13	165/80 TR 13	175/65 TR 14	165/80 TR 13
Wheel covers	Mini	Full	Mini	Full	Mini
Exterior Features					
Side step	Std	Std	Std	Std	Std
Bodyside mouldings	-	Std	-	Std	-
Wheelarch mouldings	-	Std	-	Std	-
Cab protector	-	Std	-	Std	-
Rear step bumper	-	Std	-	Std	-
Interior Features					
Air-conditioner	Opt	Std	Opt	Std	Opt
Radio/CD + 2 speakers	Opt	Std	Opt	Std	Opt
Bucket seats	Std	Std	Std	Std	Std
Back storage and cupholders	-	Std	-	Std	-
Front inertia seatbelts	Std	Std	Std	Std	Std
Tachometer	Std	Std	Std	Std	Std
Sliding rear window	Std	Std	Std	Std	Std
Low fuel warning light	Std	Std	Std	Std	Std
Floor console and cupholder	Std	Std	Std	Std	Std
Masses and Dimensions					
Loadbox length (mm)	1770	1770	1770	1770	1770
Loadbox width (mm)	1430	1430	1430	1430	1430
Loadbox depth (mm)	410	410	410	410	410
Loadbox floor height (mm)	600	600	600	600	600
Ground clearance	195	195	195	195	195
GVM (kg)	1635	1635	1635	1635	1710
Payload (kg)	650	650	650	650	650
Tank capacity (litres)	54	54	54	54	54
Safety and Security					
VSS immobiliser	Std	Std	Std	Std	Std
Side impact beams	Std	Std	Std	Std	Std
High mounted stop lamp	-	Std	-	Std	-

Ford may, subject to all applicable laws, discontinue or change features and other specifications either temporarily or permanently, which changes will be communicated to the Ford Dealer Network. Printed May 2011



Feel the difference