

NEW RANGER



TOUGH DONE SMARTER.

Better, smarter, and just as tough as ever. Introducing the next-generation **RANGER** bakkie. With a bold new design, built-in tools to get the job done smarter, and Ford's latest smart features, the **RANGER** gives new meaning to "intelligent design".



THE NEXT-GENERATION RANGER.

Strategically placed cameras. Ultrasonic sensors. Sophisticated radar. The new **RANGER** utilises them all to help keep you safer and in control.

Adaptive Cruise Control scans the road ahead and adjusts to the flow of traffic. Simply set your cruising speed. Your **RANGER** slows down when traffic does, and returns to your preset speed when traffic clears.

Stick to the speed limit with the Adjustable Speed Limiter. Set a maximum speed, and the system ensures you don't exceed it. Need to overtake a slow vehicle? Override the system by pressing the accelerator to the floor.

If your **RANGER** detects a possible collision, the Collision Warning Alert lets out a chime, flashes a heads-up display on the windscreen, and preloads the brakes for enhanced stopping power.

Lane Departure Warning alerts you by vibrating the steering wheel if you unintentionally move out of the lane. If you don't react, the Lane Keeping Aid applies steering torque to get you back on track.



COMFORT OUT OF YOUR COMFORT ZONE.

The interiors of the next-generation **RANGERS** are durable, spacious, and have been crafted to reduce noise and vibration. Throw in leather seats*, seven airbags and a centre console, and you get a **RANGER** that's more comfortable, more functional, and helps keep you safer than ever.


*Leather seats are a combination of leather and high-quality, durable materials.



A dual TFT instrument cluster displays all types of vehicle information – from infotainment to performance – on a low-glare, high-quality flat screen.



Hello, Goodbye. Enjoy the ride. The new **RANGER's** interior lighting system illuminates to welcome you when you enter the vehicle, and helps you see more when you exit. You can also choose between seven ambient lighting colours that automatically switch on at night.



Built tough. Built safe. Seven airbags – including side and curtain airbags – along with a reinforced safety cell help make every journey a safer one.



STAY CONNECTED ANYWHERE, EVERYWHERE.

Work smarter. Play harder. Streamline your life.

Pair your mobile device to SYNC®3 to make calls and select music. It's totally hands-free, so let your fingers do the talking. View vehicle information and more on the upgraded 8-inch LCD touchscreen.

Connect more devices in more ways with SYNC®3 Media Hub. Use the USB ports to access your music, photos and more.



TALK



ENTERTAINMENT

MAKE LIGHT WORK OF BIG CHALLENGES.

The new **RANGER**'s ultra-high-strength chassis, torque-heavy engines and superior suspension will help you tow, haul and move with ease.



The new **RANGER** has been torture-tested in the real world to backbreaking extremes in the toughest climates and terrains. Combining an ultra-high-strength steel chassis with superior suspension design, it delivers a stronger, smoother ride. With its unbeatable 3 500kg towing capability, Trailer Sway Control and a payload capacity of up to 1198kg, the new **RANGER** is tough enough for you to haul the most backbreaking of loads with greater confidence.

See more at night when loading or unloading with the new **RANGER's** loadbox working light.

BRAINS MEET BRAWN.

Packed with Ford's most ingenious technologies, the **RANGER** has set a new benchmark in the tough bakkie category.

Do more. Wherever the job finds you. The new **RANGER's** 230V power inverter lets you power electrical equipment, even in the middle of nowhere.

Auto headlamps detect the changes in the natural light and turn on and off automatically.

Check individual pressure in each tyre with the Tyre Pressure Monitoring System. Not only will you be notified if any tyre's pressure is low, but the system will also tell you how low.

The new **RANGER** combines a rear-view with front and rear parking sensors, so you can park in any type of space with greater confidence.



CONTROL WHEN YOU NEED IT MOST.

The Electronic Stability Programme (ESP) is designed to help you avoid an accident before it occurs. The comprehensive programme aids vehicle control, and includes the following features:

- Rollover Mitigation** – reduces the risk of getting into a rollover situation.
- Hill Launch Assist** – helps you pull away on steep inclines.
- Hill Descent Control** – helps you stay in control on steep downhill grades.
- Trailer Sway Control** – provides stability and greater control when towing a trailer.
- Traction Control** – maximises traction and helps you avoid wheel spin.
- Adaptive Load Control** – automatically adjusts ESP parameters to match the load and ensure that all controls remain effective across different loads, or with no load at all.
- Emergency Brake Assist** – maintains maximum brake pressure in an emergency stopping situation.



800MM
WATER-WADING
CAPABILITY



SHIFT ON THE
FLY 4X4



REAR LOCK
DIFFERENTIAL

BRING IT ON.

Take on whatever the world throws at you. From river crossing to challenging off-road terrain, the next-generation **RANGER** is ready for anything. **Unbeatable 800mm water-wading capability** means a river won't easily come between you and the task at hand. **Mud, sand, and steep bumpy inclines** – the new **RANGER** conquers them all. eLocking Rear Differential locks rear wheels together for maximum traction when driving

on challenging surfaces or when it's difficult to keep both rear wheels on the ground at the same time. **4x4 Shift-on-the-Fly** lets you shift between 2WD and 4WD High mode and Low mode at the turn of a dial. The **237mm ground clearance** also contributes to the **RANGER's** ability to go more places with greater ease.

BIG POWER, SMALL APPETITE.

The heart of the new **RANGER's** superior durability and strength just got an upgrade. The **RANGER's** diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move, and less time at the fuel pump.



2.5L

The 2.5L Duratec petrol engine puts out 122kW whilst delivering 226Nm torque. It uses variable cam technology for enhanced performance, fuel economy and reduced emissions.

1 110kg max. payload capacity
1 500kg max. towing capability
122kW power
226Nm torque

2.2L TDCi

An economical mid-power 2.2L TDCi engine is available in certain **RANGER** models, producing 88kW and 285Nm. Combined with the addition of Electric Power-Assisted Steering (EPAS) and the use of a longer final drive ratio, the 2.2 Duratorq TDCi engine achieves up to 22 percent improvement in fuel consumption.

1 142kg max. payload capacity
2 500kg max. towing capability
88kW power
285Nm torque

2.2L TDCi

With more power, greater torque and improved fuel-efficiency, the new **RANGER's** upgraded four-cylinder 2.2L TDCi diesel engine pumps out the extra power you need to conquer any task.

1 198kg max. payload capacity
3 500kg max. towing capability
118kW power
385Nm torque

3.2L TDCi

The new **RANGER's** five-cylinder 3.2L TDCi diesel engine delivers the power and torque numbers you've come to expect from a **RANGER**, with improved fuel efficiency over the previous year's model.

1 166kg max. payload capacity
3 500kg max. towing capability
147kW power
470Nm torque

MAKE IT YOURS.

Complementing the **RANGER's** stylish design, and satisfying your personal taste, is a range of attractive colours.

Colours



Colorado Red (Solid)



Copper Red (Metallic)



Ocean Blue (Metallic*)



Performance Blue (Metallic*)



Oyster Silver (Metallic*)



Frozen White (Solid)



Sea Grey (Metallic*)



Moondust Silver (Metallic*)



Panther Black (Metallic*)



Pride Orange (Metallic*)

Wildtrak only

Also available in Sea Grey, Panther Black and Moondust Silver (all metallic*), or Frozen White (solid).

*Metallic body colours are options at extra cost.

Note: The images used are to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

Wheels



16" Steel wheels



17" Steel wheels



16" Alloy wheels



17" Alloy wheels
Also available in black as an option on XLT derivatives.



18" Alloy wheels



FORD WILDLIFE FOUNDATION
POWERED BY THE FORD RANGER

The Ford Wildlife Foundation (FWF) supports environmental education, research and conservation projects around Sub-Saharan Africa. The Ford **RANGER** is used to enable the projects to go further, and make a real impact in the environment in which they operate. For further information on the FWF, visit ford.co.za or email wildlife@ford.com



FORD CREDIT

As part of the Ford family, Ford **CREDIT** can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford **CREDIT**, speak to your Ford Dealer or go to www.ford.co.za/buying/ford-credit/home



FORD PROTECT

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information
or visit our website at www.ford.co.za/fleet
or alternatively email us at fleetsa@ford.com.

Ford PROTECT

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

New Vehicle Warranty – Every new **RANGER** comes with a 4-yr/120 000km Comprehensive Warranty.

Service Plan – Every new **RANGER** comes standard (optional on base models) with a 5-yr/100 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

Corrosion Warranty – Cover lasts for 5-yr/unlimited km.

Roadside Assistance – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

New Vehicle Extended Warranty – An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty, giving owners an extra 2-yr/80 000km of worry-free driving.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford **PROTECT** plans and products.

**The declared fuel consumption and CO₂ emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 2010; 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO₂ emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed January 2017.




Visit FordSouthAfrica

NEW RANGER

	Single Cab				
	2.5i 4X2 Low Rider	2.2TDCi 4X2 Low Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider
Engine					
Power: kW @ rpm	122 @ 5500	88 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700
Torque: Nm @ rpm	226 @ 4500	285 @ 1500-2300	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500
Transmission					
Type	5-speed manual	5-speed manual	6-speed manual	6-speed automatic	6-speed manual
Steering					
Electric Power-Assisted Steering (EPAS)	-	-	S	S	S
Suspension					
Locking Rear Differential	-	-	O	O	S
Wheels					
16x7.0" Steel wheels	S	S	S	S	S
16x7.0" Alloy wheels	-	-	O	O	O
16x7.0" Steel spare wheel	S	S	S	S	S
Safety & Security					
Driver & front-passenger airbag	O ¹	O ¹	S	S	S
Volumetric burglar alarm system	-	-	S	S	S
Vehicle Capabilities					
Electronic Stability Programme (ESP)	-	-	S	S	S
ABS with Electronic Brakeforce Distribution (EBD)	O ¹	O ¹	S	S	S
Hill Descent Control	-	-	-	-	S
Hill Launch Assist	-	-	S	S	S
Rollover Mitigation	-	-	S	S	S
Adaptive Load Control	-	-	S	S	S
Trailer Sway Control	-	-	S	S	S
Traction Control	-	-	S	S	S
Electronic Shift-On-The-Fly (ESOF)	-	-	-	-	S
Comfort & Convenience					
Manual airconditioning	O	O	S	S	S
Radio with 2 speakers, Aux input	S	S	-	-	-
Radio with 2 speakers, Bluetooth®, USB port, Aux input, MP3	-	-	S	S	S
Manual front headlamp levelling	-	-	S	S	S
Daytime running lamps	-	-	S	S	S
12V power point: front console	S	S	S	S	S
Interior					
Bench seat: 60:40	S	S	-	-	-
Separate bucket seats	-	-	S	S	S
Exterior					
Inner tie-downs	S	S	S	S	S
Outer tie-downs (along sides)	S	S	S	S	S
Fixed rear window	S	S	S	S	S
Power front windows: one-touch up & down on driver's side (with anti-pinch)	-	-	S	S	S
Towbar	-	-	S	S	S
Dimensions & Weights					
Towing mass (kg): braked	1500	1500	2500	3500	3500
Fuel tank capacity (l)	80	80	80	80	80
Gross vehicle mass (kg)	2925	2925	3200	3200	3200
Gross combination mass (kg)	4425	4425	5000	6000	6000
Tare mass (kg)	1670	1782	1857	1857	1999
Payload (kg): without 65kg passenger weight & 80l fuel weight	1110	998	1198	1198	1056
Overall length (mm)	5354	5354	5354	5354	5354
Overall height (mm)	1703	1703	1806	1806	1806
Overall width (mm): excluding outer mirror	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220
Cargo-floor length (mm)	2317	2317	2317	2317	2317
Cargo-floor width (mm)	1560	1560	1560	1560	1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511
Ground clearance (mm): fully loaded	135	135	237	237	237

All items marked with O¹ are grouped together as part of the safety pack, and must be selected together.




Single Cab

	2.2TDCi 4X4 XL-Plus Hi-Rider	2.2TDCi 4X2 XLS Hi-Rider	2.2TDCi 4X4 XLS Hi-Rider	3.2TDCi 4X2 XLS Hi-Rider	3.2TDCi 4X4 XLS Hi-Rider
Engine					
Power: kW @ rpm	110 @ 3700	118 @ 3700	118 @ 3700	147 @ 3000	147 @ 3000
Torque: Nm @ rpm	375 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	470 @ 1500-2750	470 @ 1500-2750
Transmission					
Type	6-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed manual
Steering					
Electric Power-Assisted Steering (EPAS)	-	S	S	S	S
Suspension					
Locking Rear Differential	S	O	S	O	S
Wheels					
16x7.0" Alloy wheels	-	S	S	S	S
17x7.5" Steel wheels	S	-	-	-	-
16x7.0" Steel spare wheel	-	S	S	S	S
17x7.5" Steel spare wheel	S	-	-	-	-
Safety & Security					
Driver & front-passenger airbag	S	S	S	S	S
Side airbags (thorax only)	S	-	-	-	-
Curtain airbags	S	-	-	-	-
Rear-view parking camera	-	O ²	O ²	O ²	O ²
Parking distance sensors: rear	-	O ²	O ²	O ²	O ²
Volumetric burglar alarm system	-	S	S	S	S
Vehicle Capabilities					
Electronic Stability Programme (ESP)	S	S	S	S	S
ABS with Electronic Brakeforce Distribution (EBD)	S	S	S	S	S
Hill Descent Control	S	-	S	-	S
Hill Launch Assist	S	S	S	S	S
Rollover Mitigation	S	S	S	S	S
Adaptive Load Control	S	S	S	S	S
Trailer Sway Control	S	S	S	S	S
Traction Control	S	S	S	S	S
Electronic Shift-On-The-Fly (ESOF)	S	-	S	-	S
Special Equipment Pack: Heavy Duty - Panel to mount customer switches - Crew chief bracket & wiring - Seat covers - 17x7.5" Steel wheels - Second battery - Expanded wiring harness with connections for customer devices	S	-	-	-	-
Comfort & Convenience					
Manual airconditioning	S	S	S	S	S
Radio with 2 speakers, Bluetooth®, USB port, Aux input, MP3	S	-	-	-	-
Ford SYNC® with 4 speakers, CD, USB port, Aux input, MP3, Bluetooth®, 4.2-inch colour TFT screen	-	S	S	S	S
Auto on/off headlamps	-	O ²	O ²	O ²	O ²
Manual front headlamp levelling	S	S	S	S	S
Daytime running lamps	S	S	S	S	S
High-mounted brake light with loadbox lighting	-	S	S	S	S
Interior					
4-spoke leather steering wheel with multifunctional buttons	-	S	S	S	S
Cruise control	-	S	S	S	S
12V power point: front console	S	S	S	S	S
Bucket seats	S	S	S	S	S
4-way manual driver-seat adjuster with lumbar adjustment	S	S	S	S	S
Electrochromatic rear-view mirror	-	O ²	O ²	O ²	O ²
Exterior					
Inner tie-downs	S	S	S	S	S
Outer tie-downs (along sides)	S	S	S	S	S
Rain-sensing wipers	-	O ²	O ²	O ²	O ²
Fixed rear window	S	S	S	S	S
Power front windows: one-touch up & down on driver's side (with anti-pinch)	S	S	S	S	S
Towbar	S	S	S	S	S
Steel bull bar	O	-	-	-	-
Heavy-duty mudflaps: front & rear	S	-	-	-	-
Dimensions & Weights					
Towing mass (kg): braked	3500	2500	3500	2500	3500
Fuel tank capacity (l)	80	80	80	80	80
Gross vehicle mass (kg)	3200	3200	3200	3200	3200
Gross combination mass (kg)	6000	5000	6000	5000	6000
Tare mass (kg)	1999	1857	1999	1889	1983
Payload (kg): without 65kg passenger weight & 80l fuel weight	1056	1198	1056	1166	1072
Overall length (mm)	5354	5354	5354	5354	5354
Overall height (mm)	1806	1806	1806	1806	1806
Overall width (mm): excluding outer mirror	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220
Cargo-floor length (mm)	2317	2317	2317	2317	2317
Cargo-floor width (mm)	1560	1560	1560	1560	1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511
Ground clearance (mm): fully loaded	237	237	237	237	237

All items marked with O² are grouped together as part of the XLS pack, and must be selected together.

Ford **PROTECT Service Plan** – Covers all scheduled servicing, except friction materials, i.e. brake pads and wiper blades.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford **PROTECT** plans and products. Printed January 2017.




NEW RANGER

Double Cab

	2.2TDCi 4X2 HI-Rider	2.2TDCi 4X2 XL HI-Rider	2.2TDCi 4X2 XL HI-Rider	2.2TDCi 4X4 XL HI-Rider	2.2TDCi 4X4 XL HI-Rider	2.2TDCi 4X4 XL-Plus HI-Rider	2.2TDCi 4X2 XLS HI-Rider	2.2TDCi 4X4 XLS HI-Rider
Engine								
Power: kW @ rpm	88 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	110 @ 3700	118 @ 3700	118 @ 3700
Torque: Nm @ rpm	285 @ 1500-2300	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	375 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500
Transmission								
Type	5-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed manual	6-speed manual	6-speed automatic
Steering								
Electric Power-Assisted Steering (EPAS)	-	S	S	S	S	-	S	S
Suspension								
Open Rear Differential	S	S	S	-	-	-	S	-
Locking Rear Differential	-	O	O	S	S	S	O	S
Wheels								
16x7.0" Steel wheels	S	S	S	S	S	-	-	-
16x7.0" Alloy wheels	-	O	O	O	O	-	S	S
17x7.5" Steel wheels	-	-	-	-	-	S	-	-
16x7.0" Steel spare wheel	S	S	S	S	S	-	S	S
17x7.5" Steel spare wheel	-	-	-	-	-	S	-	-
Safety & Security								
Driver & front-passenger airbag	O ¹	S	S	S	S	S	S	S
Passenger airbag: disable functionality	-	-	-	-	-	-	S	S
Side airbags (thorax only)	-	-	-	-	-	S	S	S
Curtain airbags	-	-	-	-	-	S	S	S
Parking distance sensors: rear	-	-	-	-	-	-	O ²	O ²
Rear-view parking camera	-	-	-	-	-	-	O ²	O ²
Childproof door locks	S	S	S	S	S	S	S	S
Two outboard 3-point seatbelts & one centre 3-point rear seatbelt	O ¹	S	S	S	S	S	S	S
Two outboard 3-point seatbelts & one centre 2-point rear seatbelt	S	-	-	-	-	-	-	-
ISOFIX mounting points in rear seats	S	S	S	S	S	S	S	S
Vehicle Capabilities								
Electronic Stability Programme (ESP)	-	S	S	S	S	S	S	S
ABS with Electronic Brakeforce Distribution (EBD)	O ¹	S	S	S	S	S	S	S
Hill Descent Control	-	-	-	-	-	S	-	S
Hill Launch Assist	-	S	S	S	S	S	S	S
Rollover Mitigation	-	S	S	S	S	S	S	S
Adaptive Load Control	-	S	S	S	S	S	S	S
Trailer Sway Control	-	S	S	S	S	S	S	S
Traction Control	-	S	S	S	S	S	S	S
Electronic Shift-On-The-Fly (ESOF)	-	-	-	S	S	S	-	S
Special Equipment Pack: Heavy Duty	-	-	-	-	-	-	-	-
- Panel to mount customer switches	-	-	-	-	-	-	-	-
- Crew chief bracket & wiring	-	-	-	-	-	-	-	-
- Seat covers	-	-	-	-	-	S	-	-
- 17x7.5" Steel wheels	-	-	-	-	-	-	-	-
- Second battery	-	-	-	-	-	-	-	-
- Expanded wiring harness with connections for customer devices	-	-	-	-	-	-	-	-
Comfort & Convenience								
Manual airconditioning	S	S	S	S	S	S	S	S
Cruise control with adjustable speed limiter	-	-	-	-	-	-	S	S
Radio with 2 speakers, Aux input	S	-	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB port, Aux input, MP3	-	S	S	S	S	-	-	-
Radio with 4 speakers, CD, USB port, Aux input, MP3	-	-	-	-	-	S	-	-
Ford SYNC® with 6 speakers, CD, USB port, Aux input, MP3, Bluetooth®, 4.2-inch colour TFT screen	-	-	-	-	-	O	S	S
12V power point: front console	S	S	S	S	S	S	S	S
12V power point: rear console	-	S	S	S	S	S	S	S
Interior								
4-spoke leather steering wheel with multifunctional buttons	-	-	-	-	-	-	S	S
Electrochromatic rear-view mirror	-	-	-	-	-	-	O ²	O ²
A-pillar assist handle: driver & passenger sides	S	S	S	S	S	S	S	S
Dome interior lighting with theatre dimming & illuminated entry	S	S	S	S	S	S	S	S
4-way manual driver-seat adjuster with lumbar adjustment	-	-	-	-	-	S	S	S
Rear underseat storage	S	S	S	S	S	S	S	S
Exterior								
Auto on/off headlamps	-	-	-	-	-	-	O ²	O ²
Daytime running lamps	-	S	S	S	S	S	S	S
Rain-sensing wipers	-	-	-	-	-	-	O ²	O ²
Plastic side steps	-	-	-	-	-	S	S	S
Heavy-duty mudflaps: front	-	-	-	-	-	S	-	-
Heavy-duty mudflaps: rear	-	-	-	-	-	S	-	-
Inner tie-downs	S	S	S	S	S	S	S	S
Outer tie-downs	S	S	S	S	S	-	S	S
High-mounted brake light with loadbox lighting	-	-	-	-	-	-	S	S
Towbar	S	S	S	S	S	S	S	S
Heavy-duty battery	-	-	-	-	-	S	-	-
Dimensions & Weights								
Towing mass (kg): braked	2500	2500	3500	3500	3500	3500	2500	3500
Fuel tank capacity (l)	80	80	80	80	80	80	80	80
Gross vehicle mass (kg)	3200	3200	3200	3200	3200	3200	3200	3200
Gross combination mass (kg)	4800	5000	6000	6000	6000	6000	5000	6000
Tare mass (kg)	1912	1963	1980	2054	2079	2054	1963	2079
Payload (kg): without 65kg passenger weight & 80l fuel weight	1143	1092	1092	1001	1001	1001	1092	1001
Overall length (mm)	5354	5354	5354	5354	5354	5354	5354	5354
Overall height (mm)	1851	1851	1851	1851	1851	1851	1851	1851
Overall width (mm): including outer mirror	2163	2163	2163	2163	2163	2163	2163	2163
Overall width (mm): excluding outer mirror	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220
Cargo-floor length (mm)	1549	1549	1549	1549	1549	1549	1549	1549
Cargo-floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511
Ground clearance (mm): fully loaded	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800

All items marked with O¹ are grouped together as part of the Safety Pack, and must be selected together.
All items marked with O² are grouped together as part of the XLS Pack, and must be selected together.



NEW RANGER

Double Cab

	2.2TDCI 4X2 XLT Hi-Rider	2.2TDCI 4X2 XLT Hi-Rider	3.2TDCI 4X2 XLT Hi-Rider	3.2TDCI 4X2 XLT Hi-Rider	3.2TDCI 4X4 XLT Hi-Rider	3.2TDCI 4X4 XLT Hi-Rider	3.2TDCI 4X2 WILDTRAK Hi-Rider	3.2TDCI 4X2 WILDTRAK Hi-Rider	3.2TDCI 4X4 WILDTRAK Hi-Rider
Engine									
Power: kW @ rpm	118 @ 3700	118 @ 3700	147 @ 3000	147 @ 3000	147 @ 3000	147 @ 3000	147 @ 3000	147 @ 3000	147 @ 3000
Torque: Nm @ rpm	385 @ 1500-2500	385 @ 1500-2500	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750
Transmission									
Type	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed automatic
Steering									
Electric Power-Assisted Steering (EPAS)	S	S	S	S	S	S	S	S	S
Suspension									
Open Rear Differential	S	S	S	S	-	-	S	S	-
Locking Rear Differential	0	0	0	0	S	S	0	0	0
Wheels & Tyres									
17x8" Alloy wheels	S	S	S	S	S	S	-	-	-
18x8" Alloy wheels	-	-	-	-	-	-	S	S	S
17x7.5" Steel spare wheel	S	S	S	S	S	S	-	-	-
18x8" Alloy spare wheel	-	-	-	-	-	-	S	S	S
Tyre Pressure Monitoring System (TPMS)	-	-	-	-	-	-	S	S	S
Safety & Security									
Driver airbag	S	S	S	S	S	S	S	S	S
Front-passenger airbag	S	S	S	S	S	S	S	S	S
Passenger airbag: disable functionality	S	S	S	S	S	S	S	S	S
Side airbags (thorax only)	S	S	S	S	S	S	S	S	S
Curtain airbags	S	S	S	S	S	S	S	S	S
Inflatable knee airbag	S	S	S	S	S	S	S	S	S
Rear-view parking camera	S	S	S	S	S	S	S	S	S
Lane Keeping System includes:									
- Lane Keeping Aid	-	-	-	-	-	-	S	S	S
- Lane Departure Warning	-	-	-	-	-	-	-	-	-
- Driver Alert System*	-	-	-	-	-	-	-	-	-
Parking distance sensors: rear	S	S	S	S	S	S	S	S	S
Parking distance sensors: front	-	-	-	-	-	-	S	S	S
Childproof door locks	S	S	S	S	S	S	S	S	S
ISOFIX mounting points in rear seats	S	S	S	S	S	S	S	S	S
Vehicle Capabilities									
Electronic Stability Programme (ESP)	S	S	S	S	S	S	S	S	S
ABS with Electronic Brakeforce Distribution (EBD)	S	S	S	S	S	S	S	S	S
Hill Descent Control	-	-	-	-	S	S	-	-	S
Hill Launch Assist	S	S	S	S	S	S	S	S	S
Rollover Mitigation	S	S	S	S	S	S	S	S	S
Adaptive Load Control	S	S	S	S	S	S	S	S	S
Trailer Sway Control	S	S	S	S	S	S	S	S	S
Traction Control	S	S	S	S	S	S	S	S	S
Electronic Shift-On-The-Fly (ESOF)	-	-	-	-	S	S	-	-	S
Comfort & Convenience									
Dual Electronic Air-Temperature Control (DEATC)	S	S	S	S	S	S	S	S	S
Cruise control	S	S	S	S	S	S	-	-	-
Adaptive cruise control includes:									
- Heads-up display	-	-	-	-	-	-	S	S	S
- Forward alert	-	-	-	-	-	-	-	-	-
- Collision mitigation	-	-	-	-	-	-	-	-	-
- Distance alert	-	-	-	-	-	-	-	-	-
Ford SYNC ³ with 6 speakers, CD, 2 USB ports, MP3, Bluetooth®, 8-inch colour TFT screen, two 4.2-inch TFT screens	S	S	S	S	S	S	S	S	S
12V power point: front & rear console	S	S	S	S	S	S	S	S	S
12V power point: loadbox	-	-	-	-	-	-	S	S	S
230V/150W power converter	-	-	-	-	-	-	S	S	S
Interior									
4-spoke leather steering wheel with multifunctional buttons	S	S	S	S	S	S	S	S	S
Seat material: Wildtrak orange with leather trim	-	-	-	-	-	-	S	S	S
Leather seats*	S	S	S	S	S	S	-	-	-
Electrochromatic rear-view mirror	S	S	S	S	S	S	S	S	S
4-way manual driver-seat adjuster with lumbar adjustment	S	S	S	S	S	S	-	-	-
8-way power driver-seat adjuster with lumbar adjustment	-	-	-	-	-	-	S	S	S
Ambient mood lighting: seven colours	-	-	-	-	-	-	S	S	S
Wildtrak front & rear carpet mats	-	-	-	-	-	-	S	S	S
Cooled centre console box	S	S	S	S	S	S	S	S	S
Rear underseat storage	S	S	S	S	S	S	S	S	S
Exterior									
Auto on/off headlamps	S	S	S	S	S	S	S	S	S
Rain-sensing wipers	S	S	S	S	S	S	S	S	S
Daytime running lamps	S	S	S	S	S	S	S	S	S
Plastic side step with bright inserts	S	S	S	S	S	S	S	S	S
Exterior mirrors: power adjust, power fold, heated, puddle light, turn indicator	-	-	-	-	-	-	S	S	S
Hoop sports bar with box illumination & brake light	-	-	-	-	-	-	S	S	S
Roof rails	-	-	-	-	-	-	S	S	S
High-mounted brake light with loadbox lighting	S	S	S	S	S	S	-	-	-
Towbar	S	S	S	S	S	S	S	S	S
Inner tie-downs	S	S	S	S	S	S	S	S	S
Outer tie-downs	-	-	-	-	-	-	-	-	-
Dimensions & Weights									
Towing mass (kg): braked	3500	3500	2500	3500	3500	3500	2500	3500	3500
Fuel tank capacity (l)	80	80	80	80	80	80	80	80	80
Gross vehicle mass (kg)	3200	3200	3200	3200	3200	3200	3200	3200	3200
Gross combination mass (kg)	6000	6000	5000	6000	6000	6000	5000	6000	6000
Tare mass (kg)	1963	1980	2107	2087	2086	2117	2107	2086	2117
Payload (kg): without 65kg passenger weight & 80l fuel weight	998	998	968	948	969	938	969	948	938
Overall length (mm)	5354	5354	5354	5354	5354	5354	5354	5354	5354
Overall height (mm)	1851	1851	1851	1851	1851	1851	1851	1851	1851
Overall width (mm): including outer mirror	2163	2163	2163	2163	2163	2163	2163	2163	2163
Overall width (mm): excluding outer mirror	1860	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220
Cargo-floor length (mm)	1549	1549	1549	1549	1549	1549	1549	1549	1549
Cargo-floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511
Ground clearance (mm): fully loaded	237	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800

Contact your local dealer, as certain RANGER XLT and WILDTRAK vehicles with SYNC² are still available.

*Leather seats are a combination of leather and high-quality, durable materials.

Ford PROTECT

Service Plan – Covers all scheduled servicing, except friction materials, i.e. brake pads and wiper blades.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products. Printed January 2017.



NEW RANGER

	Super Cab								
	2.2TDCi 4X2 Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X2 XL Hi-Rider	2.2TDCi 4X4 XL Hi-Rider	2.2TDCi 4X2 XLS Hi-Rider	2.2TDCi 4X4 XLS Hi-Rider	3.2TDCi 4X2 XLS Hi-Rider	3.2TDCi 4X4 XLS Hi-Rider	3.2TDCi 4X4 XLT Hi-Rider
Engine									
Power: kW @ rpm	88 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	147 @ 3000	147 @ 3000	147 @ 3000
Torque: Nm @ rpm	285 @ 1500-2300	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	385 @ 1500-2500	470 @ 1500-2750	470 @ 1500-2750	470 @ 1500-2750
Transmission									
Type	5-speed manual	6-speed manual	6-speed automatic	6-speed manual	6-speed automatic	6-speed automatic	6-speed manual	6-speed manual	6-speed automatic
Steering									
Electric Power-Assisted Steering (EPAS)	-	S	S	S	S	S	S	S	S
Suspension									
Locking Rear Differential	-	O	O	S	O	S	O	S	S
Wheels									
16x7.0" Steel wheels	S	S	S	S	-	-	-	-	-
16x7.0" Alloy wheels	-	O	O	O	S	S	S	S	-
17x8" Alloy wheels	-	-	-	-	-	-	-	-	S
16x7.0" Steel spare wheel	S	S	S	S	S	S	S	S	-
17x7.5" Steel spare wheel	-	-	-	-	-	-	-	-	S
Safety & Security									
Driver & front-passenger airbag	O ¹	S	S	S	S	S	S	S	S
Curtain & side airbags (thorax only)	-	-	-	-	S	S	S	S	S
Inflatable knee airbag	-	-	-	-	-	-	-	-	S
Remote control entry with 2-stage unlocking & flip key	-	S	S	S	S	S	S	S	S
Parking distance sensors: rear	-	-	-	-	O ²	O ²	O ²	O ²	S
Rear-view parking camera	-	-	-	-	O ²	O ²	S	O ²	S
Volumetric burglar alarm system	-	S	S	S	S	S	O ²	S	S
Vehicle Capabilities									
Electronic Stability Programme (ESP)	-	S	S	S	S	S	S	S	S
ABS with Electronic Brakeforce Distribution (EBD)	O ¹	S	S	S	S	S	S	S	S
Hill Descent Control	-	-	-	S	-	S	-	S	S
Hill Launch Assist	-	S	S	S	S	S	S	S	S
Rollover Mitigation	-	S	S	S	S	S	S	S	S
Adaptive Load Control	-	S	S	S	S	S	S	S	S
Trailer Sway Control	-	S	S	S	S	S	S	S	S
Traction Control	-	S	S	S	S	S	S	S	S
Electronic Shift-On-The-Fly (ESOF)	-	-	-	S	-	S	-	S	S
Comfort & Convenience									
Manual airconditioning	O	S	S	S	S	S	S	S	-
Dual Electronic Air-Temperature Control (DEATC)	-	-	-	-	-	-	-	-	S
Cruise control	-	-	-	-	S	S	S	S	S
Radio with 2 speakers, Aux input	S	-	-	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB port, Aux input, MP3	-	S	S	S	-	-	-	-	-
Ford SYNC® with 6 speakers, CD, USB port, Aux input, MP3, Bluetooth®, 4.2-inch colour TFT screen	-	-	-	-	S	S	S	S	-
Ford SYNC® 3 with 6 speakers, CD, 2 USB ports, MP3, Bluetooth®, 8-inch colour TFT screen, two 4.2-inch TFT screens in cluster	-	-	-	-	-	-	-	-	S
12V power point: front console	S	S	S	S	S	S	S	S	S
12V power point: rear console	-	S	S	S	S	S	S	S	S
Cooled centre console box	-	-	-	-	-	-	-	-	S
Interior									
Leather seats*	-	-	-	-	-	-	-	-	S
4-way manual driver-seat adjuster with lumbar adjustment	-	-	-	-	S	S	S	S	S
4-spoke leather steering wheel with multifunctional buttons	-	-	-	-	S	S	S	S	S
Electrochromatic rear-view mirror	-	-	-	-	O ²	O ²	O ²	O ²	S
Rear box storage	S	S	S	S	S	S	S	S	S
Exterior									
Daytime running lamps	-	S	S	S	S	S	S	S	S
Manual front headlamps levelling	-	S	S	S	S	S	S	S	S
Halogen projector headlamps: headlights off when ignition off	S	S	S	S	S	S	S	S	S
Auto on/off headlamps	-	-	-	-	O ²	O ²	O ²	O ²	S
High-mounted brake light with loadbox lighting	-	-	-	-	S	S	S	S	S
Inner tie-downs	S	S	S	S	S	S	S	S	S
Outer tie-downs (along sides)	S	S	S	S	S	S	S	S	-
Fixed rear window	S	S	S	S	S	S	S	S	S
Rear bumper: steel, chromed	-	-	-	-	O ²	O ²	O ²	O ²	S
Plastic side steps	-	-	-	-	S	S	S	S	-
Plastic side step with inserts	-	-	-	-	-	-	-	-	S
Rain-sensing wipers	-	-	-	-	O ²	O ²	O ²	O ²	S
Power front windows: one-touch up & down on driver's side (with anti-pinch)	-	S	S	S	S	S	S	S	S
Towbar	-	S	S	S	S	S	S	S	S
Dimensions & Weights									
Towing mass (kg): braked	2500	2500	3500	3500	3500	3500	2500	3500	3500
Fuel tank capacity (l)	80	80	80	80	80	80	80	80	80
Gross vehicle mass (kg)	3200	3200	3200	3200	3200	3200	3200	3200	3200
Gross combination mass (kg)	4800	5000	6000	6000	6000	6000	5000	6000	6000
Tare mass (kg)	1913	1944	1944	1972	2004	2101	2004	2101	2118
Payload (kg): without 65kg passenger weight & 80l fuel weight	1142	1111	1111	1083	1051	954	1051	954	937
Overall length (mm)	5354	5354	5354	5354	5354	5354	5354	5354	5354
Overall height (mm)	1810	1810	1810	1810	1810	1810	1810	1810	1810
Overall width (mm): excluding outer mirror	1860	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220
Cargo-floor length (mm)	1847	1847	1847	1847	1847	1847	1847	1847	1847
Cargo-floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm): between wheel arches	1139	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511
Ground clearance (mm): fully loaded	237	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800

All items marked with O¹ are grouped together as part of the Safety Pack, and must be selected together.
 All items marked with O² are grouped together as part of the XLS Pack, and must be selected together.
 Contact your local dealer, as certain RANGER XLT and WILDTRAK vehicles with SYNC®2 are still available.
 *Leather seats are a combination of leather and high-quality, durable materials.

Ford PROTECT Service Plan – Covers all scheduled servicing, except friction materials, i.e. brake pads and wiper blades.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products. Printed January 2017.

