



Go Further

NEW RANGER

Ford



[www.ford.co.za](http://www.ford.co.za)

# DESIGNED FOR PURPOSE, **NOT JUST TOUGH.** PURPOSE BUILT TOUGH.

The new Ford **RANGER** delivers a bold new front end, new interior trims, and is packed with innovative new features. What hasn't changed is the **RANGER's** safety credentials and range of cab styles to suit every need.



Wildtrak derivative. Accessories shown not endorsed by the FMCSA.

## SINGLE CAB



Single Cab available in Base, XL, and XLS derivatives. See specification sheets.

## SUPER CAB



Super Cab available in Base, XL, XLS, and XLT derivatives. See specification sheets.

## DOUBLE CAB



Double Cab available in Base, XL, XLS, XLT, and Wildtrak derivatives. See specification sheets.

## WILDTRAK



Wildtrak derivative. See specification sheets.

# COMFORT OUT OF YOUR COMFORT ZONE.



When your bakkie doubles as your office, a smart design makes all the difference. Packed with technology and features to help you work smarter and play harder, the new **RANGER** is Ford's most advanced bakkie.

Built tough. Built safe. 7 airbags<sup>1</sup> including side and curtain airbags, along with a reinforced safety cell help make every journey a safer one.

Leather seats are a combination of leather and high-quality, durable materials.  
<sup>1</sup>Airbags – features differ per derivative.

## PRE-COLLISION ASSIST WITH PEDESTRIAN DETECTION<sup>1</sup>

When traffic is crawling along, it can be easy to miss someone suddenly stopping up front. At speeds over 3.6km/h, Pre-Collision Assist with pedestrian detection is designed to detect if the car in front has unexpectedly stopped or a pedestrian stepped out onto the road, it can automatically apply the brakes if you don't.



### Active Park Assist with Parallel Parking<sup>2</sup>

Not everyone loves to parallel park. But what if we designed a truck that not only helps you find the right size parking space, but also automatically steers itself in for a perfect park? The new **RANGER** offers semi-auto Active Park Assist to make city driving even easier.



### Smart Keyless Entry and Push-Button Start<sup>3</sup>

Get in and out without taking your keys out of your pocket, coat, or bag. When the intelligent access system detects your key, you can get going at the push of a button.



### Rear-view Camera<sup>4</sup>

Bollards, bicycles, low walls – the rear-view camera shows what's behind you on a screen built into the centre console. As well as revealing objects, you might miss, the system displays virtual lines to help you park into the smallest of spaces. The camera activates automatically when you select reverse gear.



### Adaptive Cruise Control<sup>5</sup>

Forget having to turn your cruise control on and off as traffic conditions change. If traffic slows down in front of you, Adaptive Cruise Control can automatically slow down to maintain a preset distance. Once traffic clears, it returns to your cruising speed.

<sup>1</sup>Pre-collision Assist with pedestrian detection available on Wildtrak derivatives only. <sup>2</sup>Active Park Assist with parallel parking available on Wildtrak derivatives only. <sup>3</sup>Smart keyless entry and push-button start available on XLT, and Wildtrak derivatives only.

<sup>4</sup>Rear-view camera available on XLS, XLT, and Wildtrak derivatives only. <sup>5</sup>Adaptive Cruise Control available on Wildtrak derivatives only. See specification sheets.

# STAY CONNECTED ANYWHERE, EVERYWHERE.



## WORK SMARTER. PLAY HARDER. STREAMLINE YOUR LIFE.

SYNC®3 is a fully integrated, voice-activation system that lets you use your favourite devices while your hands stay on the wheel and your eyes stay on the road. Sync your phone to call your friends and play your favourite music, and stay on track with the integrated satellite Navigation system. Equipped with a customisable 8" colour LCD capacitive touchscreen; SYNC®3 is quicker and more responsive than ever before.

**Note:** Features differ per derivative. See specification sheets. Navigation standard on all XLT, and Wildtrak derivatives.



SATELLITE  
NAVIGATION



TALK



ENTERTAINMENT

### 230V/150W Power Converter\*

All new **RANGER** features a 230V/150W power inverter in the back of the centre console, powering your electrical equipment wherever the job finds you.

\*230V/150W power converter is available on Wildtrak derivatives only.

# FORM MEETS FUNCTION



## EASY LIFT TAILGATE\*

You've got enough heavy lifting to do. Load your new **RANGER** with greater ease, thanks to the tailgate with lift assistance that now requires 70% less effort to close.

\*Easy lift tailgate with lift assistance is available on XLT, and Wildtrak derivatives only.



LANE-KEEPING AID

## LANE-DEPARTURE WARNING\*

By monitoring road markings, it detects if you appear to unintentionally move out of your lane. If you do, your steering wheel will vibrate to warn you. If lane-departure warning continues it will also direct you back into your lane by applying steering torque, unless your indicator is on.

\*Lane-departure warning available on Wildtrak derivatives only.



### LOADBOX LIGHTING\*

A light installed in the back of the new **RANGER** pick-up gives you all the light you need to get on with the job, no matter what time of the day or night.

\*Loadbox lighting available on XLS, XLT, and Wildtrak derivatives only.



### TYRE PRESSURE MONITORING SYSTEM\*

When your tyre pressure isn't right it can compromise safety and fuel economy. The Tyre Pressure Monitoring System (TPMS) alerts you when one or more of your tyres has lost pressure.

\*Tyre Pressure Monitoring System available on Wildtrak derivatives only.

MAKE LIGHT WORK OF BIG CHALLENGES.

# TOTAL CAPABILITY

Raging river? No problem. Steep, sandy incline? Exciting. The new **RANGER** 4x4's 800mm water wading, Electronic/e-Locking Rear Differential, and driver assist features like Hill Descent Control make light work of any challenge.



### 800mm Water-Wading Capability\*

It's not only on dry land that the new **RANGER** proves that it can take you just about anywhere you need to go. A river-taming 800mm makes sure there's very little that can come between you and getting the job done.

\*800mm water-wading capability standard on all new **RANGER** hi-rider derivatives when maintaining a steady speed of 7km/h.



### Towing capacity

With up to 3 500kg\* towing capacity, you can confidently take on the biggest jobs. Trailer Sway Control<sup>®</sup> provides stability and greater control when towing a trailer.

\*Towing capacity figures will vary according to specific derivative. See specification sheets. \*Only available on Ford **APPROVED** towbar.



### Electronic Diff-Lock

Take back control on steep inclines and loose surfaces with electronic locking rear differential. This helps you gain the best possible control over challenging and uneven terrains where it can be difficult to keep both rear wheels on the ground.

\*Electronic locking rear differential not available on Base derivatives.



### Hill Descent Control\*

The new **RANGER** 4x4's Hill Descent Control is designed to automatically apply braking, as needed, to slow the vehicle to a set speed in off-road downhill conditions. Speed can be adjusted through the accelerator and the cruise control buttons.

\*Hill Descent Control available on 4x4 derivatives only.



### Electronic Shift-on-the-Fly 4x4\*

Choose 4x2 for regular driving, 4x4 High Range for poor road surfaces and dirt tracks and 4x4 Low Range for exceptionally challenging terrain. Using Electronic Shift-on-the-Fly you can also switch between 4x2 and 4x4 High Range, whilst on the move.

\*Electronic Shift-on-the-Fly available on 4x4 derivatives only.

# NEW IMPROVED DIESEL ENGINES. **BIG POWER, SMALL APPETITES.**


The heart of the new **RANGER's** superior durability and strength just got an upgrade. The new **RANGER's** diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move and less time at the fuel pump.

## **BI-TURBO DIESEL**

157kW / 500Nm

4-Cylinder Diesel Engine

The innovative Bi-Turbo diesel engine's two turbos work sequentially to deliver huge power and torque, combined with a state-of-the-art 10-speed auto transmission.



## **SINGLE-TURBO**

132kW / 420Nm

4-Cylinder Diesel Engine

Not only does the Single-Turbo diesel engine deliver strong performance lower down the rev range, the 10-speed automatic transmission also helps improve fuel efficiency.

## **3.2L TDCI**

147kW / 470Nm

5-Cylinder Diesel Engine

The tried, tested and trusty workhorse that has capably delivered seamless torque to thousands of **RANGERS**.

## **2.2L TDCI**

118kW / 385Nm

4-Cylinder Diesel Engine

The economic choice, this engine will provide thrifty service for years.

# MAKE IT YOURS.

Complementing the new **RANGER's** stylish design, and satisfying your personal taste, is a range of attractive colours.

## Colours – RANGER



Frozen White  
(Solid)



Moondust Silver  
(Metallic\*)



Diffused Silver  
(Metallic\*)



Blue Lightning  
(Metallic\*)



Sea Grey  
(Metallic\*)



Absolute Black  
(Metallic\*)



Colorado Red  
(Solid)



Copper Red  
(Metallic\*)

## Colours – WILDTRAK



Moondust Silver  
(Metallic\*)



Sea Grey  
(Metallic\*)



Absolute Black  
(Metallic\*)



Frozen White  
(Solid)



Saber  
(Metallic\*)

\*Metallic body colours are options at extra cost.

**Note:** The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

## Wheels



16" Steel wheel



16" Alloy wheel  
(Standard on XLS derivatives)  
(Optional on XL derivatives, at an additional cost)



17" Silver Alloy wheel  
(Standard on XLT derivatives)  
(Optional on XLS derivatives)  
Available in black as an option at an additional cost for XLS, XLT, and XL (Super and Double Cab only)



18" Alloy wheel  
(Available on Wildtrak derivatives only)



FORD WILDLIFE FOUNDATION  
POWERED BY THE FORD RANGER

The Ford Wildlife Foundation (FWF) supports environmental education, research and conservation projects around Sub-Saharan Africa. The Ford **RANGER** is used to enable the projects to go further, and make a real impact in the environment in which they operate. For further information on the FWF, visit [ford.co.za](http://ford.co.za) or email [wildlife@ford.com](mailto:wildlife@ford.com).



## FORD CREDIT

As part of the Ford family, Ford **CREDIT** can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford **CREDIT**, speak to your Ford Dealer or go to [www.ford.co.za/buying/ford-credit/home](http://www.ford.co.za/buying/ford-credit/home).



## FORD PROTECT

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



## Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information  
or visit our website at [www.ford.co.za/fleet](http://www.ford.co.za/fleet)  
or alternatively email us at [fleetsa@ford.com](mailto:fleetsa@ford.com).

### Ford PROTECT

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

**New Vehicle Warranty** – Every new **RANGER** comes with a 4-yr/120 000km Comprehensive Warranty.

**Service Plan**<sup>1</sup> – Every new **RANGER** comes standard with a 6-yr/90 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

**Corrosion Warranty** – Cover lasts for 5-yr/unlimited km.

**Roadside Assistance** – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

**New Vehicle Extended Warranty** – An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty. You have many coverage, time and kilometre choices, ranging from 7 years to 200 000km from the date of sale.

Consult the vehicle handbook, [www.ford.co.za](http://www.ford.co.za) or your nearest Ford Dealer for more information regarding Ford **PROTECT** plans and products.

<sup>1</sup>All new **RANGER** derivatives purchased after 1 April 2018 will have service intervals as 12 months/15 000km, whichever comes first. **RANGER** derivatives purchased prior will have service intervals of 12 months/ 20 000km, whichever comes first.

The declared fuel consumption and CO<sub>2</sub> emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO<sub>2</sub> emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



### Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



### Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO<sub>2</sub> emissions and a lower overall cost of ownership.



### Safe

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



### Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed January 2020.



Visit [FordSouthAfrica](http://FordSouthAfrica)

WHATEVER  
THE CHALLENGE  
**BRING IT**

**NEW FORD RANGER XLS**

NEW RANGER  
*Ford*



[www.ford.co.za](http://www.ford.co.za)



MORE FEATURES, MORE VALUE,  
BRING MORE VALUE,  
MORE RANGER



NEW RANGER  
*Ford*

STEEL SIDE STEP

CHROME OUTER DOOR HANDLES

# WORKS HARD. LOOKS GOOD.

The New **RANGER** XLS comes with the XLS Appearance Pack at no extra cost, which includes:

**CHROME**  
RADIATOR GRILLE

**17"**

ALLOY WHEELS  
Black is optional at extra cost.

**CHROME**  
BUMPER

**CHROME**  
TAILGATE OUTER HANDLE

**CHROME**  
EXTERIOR MIRRORS

**CHROME**  
SPORTS BAR

And just like the rest of the **RANGER** family, the new XLS leaves the showroom floor ready to work, with a towbar that comes standard, a payload of up to 1 199kg, and a towing capacity of 3 500kg.

Images shown for illustrative purposes. Spec may vary.



GT1B707711/19MY

# NEW RANGER

	SINGLE CAB							
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
<b>Engine</b>								
Power: kW @ rpm	88 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000	147 @ 3 000
Torque: Nm @ rpm	285 @ 1 500 – 2 300	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750
<b>Transmission</b>								
Type	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	-	Std	Std	-	-	Std
<b>Vehicle Capabilities</b>								
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	-	Std	Std	-	-	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std
<b>Exterior</b>								
Tailgate lock	Manual	Power	Power	Power	Power	Power	Power	Power
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std
Power windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std
<b>XLS Appearance Pack*</b>	-	-	-	-	Opt	Opt	Opt	Opt
<b>Exterior Lighting</b>								
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std
Front fog lamps	-	-	-	-	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	Std	Std	Std	Std
<b>Interior</b>								
Manual air conditioning	Opt	Std	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	Std	Std	Std	-	-	-	-
Ford SYNC® with 4 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std
Cruise control	-	-	-	-	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std	Std
Vinyl floor covering	Opt	-	-	-	-	-	-	-
<b>Seats</b>								
Bench seat – 60:40	Opt	-	-	-	-	-	-	-
2 separate bucket seats – driver & passenger	Opt	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std

\*XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.



# NEW RANGER

## SINGLE CAB

	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
--	--------------------------------	-----------------------------	-----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------

### Safety & Security

Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std
Remote control entry with 2-stage unlocking and flip key	-	Std	Std	Std	Std	Std	Std	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std

### Mechanical

Wheels & Tyres								
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt
17x8" Cast Alloy wheel – Panther Black	-	-	-	-	Opt	Opt	Opt	Opt
Towing								
Towbar	-	Std	Std	Std	Std	Std	Std	Std

### Dimensions & Weights

Towing mass (braked) (kg)	1500	3500	3500	3500	3500	3500	3500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	2925	3200	3200	3200	3200	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4425	6000	6000	6000	6000	6000	6000	6000
Tare mass (kg)	1728	1939	1920	2019	2041	1924	1924	2045
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1052	1116	1135	1036	1014	1131	1131	1010
Overall length (mm)	5354	5354	5354	5354	5354	5354	5354	5354
Overall height (mm)	1703	1806	1806	1806	1806	1806	1806	1806
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220
Cargo floor length (mm)	2317	2317	2317	2317	2317	2317	2317	2317
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	135	237	237	237	237	237	237	237
Wading depth (mm)	600	800	800	800	800	800	800	800



# NEW RANGER

	SUPER CAB								
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider
<b>Engine</b>									
Power: kW @ rpm	88 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000	147 @ 3 000	147 @ 3 000
Torque: Nm @ rpm	285 @ 1 500 – 2 300	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	385 @ 1 500 – 2 500	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750
<b>Transmission</b>									
Type	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	-	Std	-	Std	Std
<b>Vehicle Capabilities</b>									
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	-	-	Std	-	Std	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system	-	Std	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Exterior</b>									
<b>Exterior Trim</b>									
Plastic side steps	-	-	-	-	Std	Std	Std	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Power	Power	Power	Power	Power
Tailgate with lift assistance	-	-	-	-	-	-	-	-	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std	Std	-
Rain-sensing wipers	-	-	-	-	Std	Std	Std	Std	Std
Front power windows with driver one-touch up/down (with anti-pinch)	-	Std	Std	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std	Std	-
Exterior mirrors – power-adjustable, power-fold, turn indicator	-	-	-	-	-	-	-	-	Std
<b>Exterior Lighting</b>									
Auto-on/off headlamps	-	-	-	-	Std	Std	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted brake lamp with loadbox lighting	-	-	-	-	Std	Std	Std	Std	Std
<b>XLS Appearance Pack*</b>	-	-	-	-	Opt	Opt	Opt	Opt	-
<b>Interior</b>									
Manual air conditioning	Opt	Std	Std	Std	Std	Std	Std	Std	-
Dual-zone Electronic Automatic Temperature Control (DEATC)	-	-	-	-	-	-	-	-	Std
Radio with 2 speakers, Bluetooth®, USB	Std	-	-	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	-	-	-	-	-
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2 colour TFT screen	-	Opt	Opt	Opt	Std	Std	Std	Std	-
Ford SYNC® 3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	-	-	-	-	-	-	-	-	Std
4-spoke leather steering wheel with multifunctional buttons	-	-	-	-	-	-	-	-	Std
Cruise control	-	-	-	-	Std	Std	Std	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std	Std	Std
Cooled centre console	-	-	-	-	-	-	-	-	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std	Std	-
Sun visor – driver & passenger with ticket holder & illuminated vanity mirror, sliding rod	-	-	-	-	-	-	-	-	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std	Std	Std

\*XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.



	SUPER CAB								
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XL Hi-Rider
<b>Interior (cont.)</b>									
<b>Seats</b>									
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std	Std	-
Seat material – leather*	-	-	-	-	-	-	-	-	Std
Rear floor storage	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Safety &amp; Security</b>									
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Keyless entry & push-button start	-	-	-	-	-	-	-	-	-
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	Std	Std	Std	Std	Std
Curtain airbags	-	-	-	-	Std	Std	Std	Std	Std
Inflatable knee airbag	-	-	-	-	-	-	-	-	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Rear parking distance sensors	-	-	-	-	Std	Std	Std	Std	Std
Front parking distance sensors	-	-	-	-	-	-	-	-	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std	Std	Std
<b>Mechanical</b>									
<b>Wheels &amp; Tyres</b>									
16x7" Steel wheel	Std	Std	Std	Std	-	-	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Std	Std	Std	Std	-
17x8" Alloy wheel	-	-	-	-	Opt	Opt	Opt	Opt	Std
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt
<b>Steering</b>									
Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std	Std	Std	Std	Std
Towbar	-	Std	Std	Std	Std	Std	Std	Std	Std
<b>Dimensions &amp; Weights</b>									
Towing mass (braked) (kg)	1500	3500	3500	3500	3500	3500	3500	3500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3025	3200	3200	3200	3200	3200	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4525	6000	6000	6000	6000	6000	6000	6000	6000
Tare mass (kg)	1835	1984	2062	1962	1984	2105	1924	1856	2200
Payload (kg) (passenger weight (65kg) and fuel weight (80L) removed)	1045	1071	993	1093	1071	950	1131	1199	855
Overall length (mm)	5354	5354	5354	5354	5354	5354	5354	5354	5354
Overall height (mm)	1810	1810	1810	1810	1810	1810	1810	1810	1810
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220
Cargo floor length (mm)	1847	1847	1847	1847	1847	1847	1847	1847	1847
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800

\*Leather seats are a combination of leather and high-quality, durable materials.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers. Printed January 2020.



# NEW RANGER

	DOUBLE CAB						
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider
<b>Engine</b>							
Power: kW @ rpm	88 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700	118 @ 3700
Torque: Nm @ rpm	285 @ 1500 – 2300	385 @ 1500 – 2500	385 @ 1500 – 2500	385 @ 1500 – 2500	385 @ 1500 – 2500	385 @ 1500 – 2500	385 @ 1500 – 2500
<b>Transmission</b>							
Type	5-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	Std	-	Std	Std	-
<b>Vehicle Capabilities</b>							
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	-	Std	Std	-
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std	Std	Std	Std
Adaptive Load Control	-	Std	Std	Std	Std	Std	Std
Trailer Sway Control	-	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std
ESP brake system	-	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std
<b>Exterior</b>							
Side steps	-	-	-	-	-	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Manual	Power	Power
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std
Spray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Rain-sensing wipers	-	-	-	-	-	Std	Std
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std
Exterior mirrors – manually adjustable	Std	-	-	-	-	-	-
Exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std
Auto-on/off headlamps	-	Opt	Opt	Opt	Opt	Std	Std
Front fog lamps	-	-	-	-	-	Std	Std
Manual front headlamp levelling	-	Std	Std	Std	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	-	Std	Std
<b>XLS Appearance Pack*</b>	-	-	-	-	-	Opt	Opt
<b>Interior</b>							
Manual air conditioning	Opt	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	Std	-	-
Ford SYNC® with 6 speakers, CD, USB, Aux, MP3, Bluetooth®, 4.2" colour TFT screen	-	Opt	Opt	Opt	Opt	Std	Std
Cruise control	-	-	-	-	-	Std	Std
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder and passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	-	Std	Std
<b>Seats</b>							
2 separate bucket seats – driver and passenger	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	Std	-	-

\*XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.



# NEW RANGER

## DOUBLE CAB

	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider
--	----------------------------	--------------------------	--------------------------	--------------------------	--------------------------	---------------------------	---------------------------

### Interior (cont.)

Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	-	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std

### Safety & Security

Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	-	Std	Std
Curtain airbags	-	-	-	-	-	Std	Std
Rear parking distance sensors	-	Opt	Opt	Opt	Opt	Std	Std
Rear-view parking camera	-	-	-	-	-	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std

### Mechanical

Wheels & Tyres							
16x7" Steel wheel	Std	Std	Std	Std	Std	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Opt	Std	Std
17x8" Alloy wheel	-	-	-	-	-	Opt	Opt
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt

### Towing

Towbar	-	Std	Std	Std	Std	Std	Std
--------	---	-----	-----	-----	-----	-----	-----

### Dimensions & Weights

Towing mass (braked) (kg)	1500	3500	3500	3500	3500	3500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3200	3200	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 000	6 000	6 000	6 000
Tare mass (kg)	1849	2 031	2130	2 012	2 012	2155	2 200
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1031	1024	925	1043	1043	900	855
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354
Overall height (mm)	1851	1851	1851	1851	1851	1851	1851
Overall width (incl. outer mirror)	2163	2163	2163	2163	2163	2163	2163
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800



# NEW RANGER

## DOUBLE CAB

	2.0 SIT 4x2 XLT Hi-Rider	2.0 SIT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BiT 4x2 Wildtrak Hi-Rider	2.0 BiT 4x4 Wildtrak Hi-Rider	2.0 BiT 4x4 RAPTOR Hi-Rider
<b>Engine</b>										
Power: kW @ rpm	132 @ 3 500	132 @ 3 500	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	147 @ 3 000	157 @ 3 750	157 @ 3 750	157 @ 3 750
Torque: Nm @ rpm	420 @ 1 750 – 2 500	420 @ 1 750 – 2 500	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750	470 @ 1 500 – 2 750	500 @ 1 500 – 2 000	500 @ 1 500 – 2 000	500 @ 1 500 – 2 000
<b>Transmission</b>										
Type	10-speed Automatic	10-speed Automatic	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	10-speed Automatic	10-speed Automatic	10-speed Automatic
Electronic locking rear differential	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	Std	-	Std	-	Std	-	-	Std	-
<b>Vehicle Capabilities</b>										
Electronic Stability Programme (ESP)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	Std	-	Std	-	Std	-	-	Std	Std
Hill Launch Assist	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Traction control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Active Park Assist – parallel parking	-	-	-	-	-	-	Std	Std	Std	-
Towbar	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Exterior</b>										
Side steps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Tailgate lock	Power	Power	Power	Power	Power	Power	Power	Power	Power	Power
Tailgate with lift assistance	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Body &amp; Box Elements</b>										
Wildtrak cargo area management system with side rails	-	-	-	-	-	-	Std	Std	Std	-
Drop-in bedliner with 12V power point	-	-	-	-	-	-	Std	Std	Std	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Spray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-	-
<b>Windows &amp; Mirrors</b>										
Rain-sensing wipers	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Window Operation</b>										
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Exterior – Mirrors (Driver &amp; Front Passenger)</b>										
Exterior mirrors – power-adjustable, power-fold, turn indicator	Std	Std	Std	Std	Std	Std	-	-	-	-
Exterior mirrors – power-adjustable, power- fold, heated, puddle lamp, turn indicator	-	-	-	-	-	-	Std	Std	Std	Std
<b>Exterior Lighting</b>										
Auto-on/off headlamps	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Projector headlamps	Std	Std	Std	Std	Std	Std	-	-	-	-
High-intensity discharge headlamp	-	-	-	-	-	-	Std	Std	Std	Std
Front fog lamps	Std	Std	Std	Std	Std	Std	-	-	-	-
Front fog lamps – LED	-	-	-	-	-	-	Std	Std	Std	Std
Manual front headlamp levelling	Std	Std	Std	Std	Std	Std	Std	Std	Std	-
Daytime running lights	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Rear fog lamp	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted stop lamp with loadbox lighting	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std



## DOUBLE CAB

	2.0 SIT 4x2 XLT HI-Rider	2.0 SIT 4x4 XLT HI-Rider	3.2 TDCi 4x2 XLT HI-Rider	3.2 TDCi 4x4 XLT HI-Rider	3.2 TDCi 4x2 XLT HI-Rider	3.2 TDCi 4x4 XLT HI-Rider	3.2 TDCi 4x2 Wildtrak HI-Rider	2.0 BIT 4x2 Wildtrak HI-Rider	2.0 BIT 4x4 Wildtrak HI-Rider	2.0 BIT 4x4 RAPTOR HI-Rider
<b>Interior</b>										
<b>Climate Control</b>										
Dual-zone Electronic Automatic Temperature Control	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Audio/Media</b>										
Ford SYNC <sup>3</sup> with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	Std	Std	Std	Std	Std	Std	Std	Std	Std	-
<b>Instrument Panel, Cockpit &amp; Controls</b>										
4-spoke leather steering wheel with multi-functional buttons	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Cruise control	Std	Std	Std	Std	Std	Std	Std	Std	Std	-
<b>Adaptive Cruise Control:</b> - Heads-up display - Forward Collision Warning - Distance alert - Autonomous emergency braking - Lane-keeping Aid - Driver Alert System - Auto high-beam control	-	-	-	-	-	-	Std	Std	Std	-
12V power point plug – front & rear console	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – loadbox	-	-	-	-	-	-	Std	Std	Std	Std
230V/150W power converter	-	-	-	-	-	-	Std	Std	Std	Std
Cooled centre console	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Roof Trim</b>										
Sun visor – driver and passenger with ticket holder and illuminated vanity mirror, sliding rod	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Floor Trim</b>										
<b>Wildtrak</b> front & rear carpet mats	-	-	-	-	-	-	Std	Std	Std	-
<b>Seats</b>										
Driver's seat – 4-way manually adjustable with lumbar support adjustment	Std	Std	Std	Std	Std	Std	-	-	-	-
Driver's seat – 8-way power-adjustable with lumbar support adjustment	-	-	-	-	-	-	Std	Std	Std	Std
Heated seats – driver & passenger	-	-	-	-	-	-	Std	Std	Std	Std
Seat material – leather*	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Mirrors</b>										
Electrochromatic rear-view mirror	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
<b>Stowage</b>										
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std

\*Leather seats are a combination of leather and high-quality, durable materials.



## DOUBLE CAB

	2.0 SIT 4x2 XLT Hi-Rider	2.0 SIT 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 BIT 4x2 Wildtrak Hi-Rider	2.0 BIT 4x4 Wildtrak Hi-Rider	2.0 BIT 4x4 RAPTOR Hi-Rider
--	--------------------------------	--------------------------------	---------------------------------	---------------------------------	---------------------------------	---------------------------------	--------------------------------------	-------------------------------------	-------------------------------------	-----------------------------------

### Safety & Security

Keyless entry & push-button start	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Curtain airbags	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Inflatable knee airbag	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Front parking sensors	Std	Std	Std	Std	Std	Std	Std	Std	Std	-
Rear parking sensors	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Rear-view parking camera	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std
Volumetric burglar alarm system	Std	Std	Std	Std	Std	Std	Std	Std	Std	Std

### Mechanical

General										
Tyre Pressure Monitoring System (TPMS)	-	-	-	-	-	-	Std	Std	Std	-
Wheels & Tyres										
17x8" Alloy wheel	Std	Std	Std	Std	Std	Std	-	-	-	Std
17x8" Cast Alloy wheel – Panther Black	Opt	Opt	Opt	Opt	Opt	Opt	-	-	-	-
18" Alloy wheel	-	-	-	-	-	-	Std	Std	Std	-
Dimensions & Weights										
Towing mass (braked) (kg)	3 500	3 500	3 500	3 500	3 500	3 500	3 500	3 500	3 500	2 500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 090
Gross Combination Mass (GCM) (kg)	6 000	6 000	6 000	6 000	6 000	6 000	6 000	6 000	6 000	5 350
Tare mass (kg)	2 142	2 044	2 116	2 214	2 062	2 159	2 131	2 098	2 195	2 338
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	913	1 011	939	841	993	896	924	957	860	758
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 398
Overall height (mm)	1 851	1 851	1 851	1 851	1 851	1 851	1 851	1 851	1 851	1 873
Overall width (incl. outer mirror)	2 163	2 163	2 163	2 163	2 163	2 163	2 163	2 163	2 163	2 180
Overall width (excl. outer mirror)	1 860	1 860	1 860	1 860	1 860	1 860	1 860	1 860	1 860	2 028
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220
Cargo floor length (mm)	1 549	1 549	1 549	1 549	1 549	1 549	1 549	1 549	1 549	1 743
Cargo floor width (mm)	1 560	1 560	1 560	1 560	1 560	1 560	1 560	1 560	1 560	1 560
Cargo width (mm) (between wheel arches)	1 139	1 139	1 139	1 139	1 139	1 139	1 139	1 139	1 139	1 139
Cargo depth (mm)	511	511	511	511	511	511	511	511	511	561
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	237	237	283
Wading depth (mm)	800	800	800	800	800	800	800	800	800	850

